# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





## **Conditions of Sale**

Prices herein listed cancel all previous lists, and are subject to change without notice.

### Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness, or with satisfactory references, we shall be pleased to extend our regular term of 30 days from date of invoice. 2 per cent discount will be allowed if paid within ten days, or 2 per cent discount for cash in full with order. All orders for C. O. D. shipments must be accompanied by at least one-third of the amount of the order so as to insure acceptance upon arrival.

## **Price Quotations**

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

#### Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insects or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

#### Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control.

All claims of whatsoever nature must be made within 10 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.

## Carloading

We have a railroad siding on our own property, and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

### **Explanatory Notes**

Figures following names throughout this list indicates in feet the approximate height

of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of

Nurserymen.

## Balling of Deciduous Stock

All items herein listed "B. & B." will be balled and burlapped, and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on the inside back cover.

### Packing Costs

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge made for packing. A schedule of packing prices will be found on the inside of back cover.

#### U. S. Patent Laws

The Truehedge Columnberry is protected by Plant Patent No. 110 under the U. S. Patent Laws. Asexual reproduction or disposition by sale, gift or otherwise, of scions, buds, or cuttings for such reproduction is prohibited unless license is previously obtained from the patent owners. Unauthorized reproductions, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

# The Kallay Bros. Co., Painesville, O.

2 THE KALLAY	BROTH	ERS COM	IPANY
	Each	Each	Each
ABELIA	1-4	5-24	25-up
—grandiflora 3 ft. (Glossy Abelia)	1.00	\$ .75	
15 to 18 in. B&B\$ 18 to 24 in. B&B	$\frac{1.00}{1.25}$	$\begin{array}{c} \$  .75 \\ 1.00 \end{array}$	
2 to 3 ft. B&B	$\frac{1.25}{1.50}$	1.25	
2 to 5 ft. B&B	1.50	1.20	
ABIES			
—balsamea 40 ft. (Balsam Fir)	1 75	1 50	1.05
2 to 3 ft. B&B 3 to 4 ft. B&B	1.75	$\frac{1.50}{1.75}$	1.25
3 to 4 ft. B&B 4 to 5 ft. B&B	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	
5 to 6 ft. B&B	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$	
6 to 7 ft. B&B	$\frac{3.50}{4.50}$	$\frac{3.23}{4.00}$	
7 to 8 ft. B&B	5.50	5.00	
8 to 10 ft. B&B	9.00	8.00	
—concolor 50 ft. (White Fir)	0.00	0.00	
2 to 3 ft. B&B	0.05	2.00	1 75
3 to 4 ft. B&B	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
			$\frac{2.25}{3.00}$
4 to 5 ft. B&B	3.50	$\frac{3.25}{4.25}$	$\frac{3.00}{4.00}$
5 to 6 ft. B&B	$\frac{4.50}{6.50}$		
6 to 7 ft. B&B 7 to 8 ft. B&B	$\frac{6.50}{7.50}$	$\frac{6.00}{7.00}$	5.50
		1.00	
-douglasi (See Pseudotsuga dougla	S1)		
—pectinata 50 ft. (Silver Fir)	0.05	0.00	
2 to 3 ft. B&B	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	
3 to 4 ft. B&B	4.10	2.50	
ACANTHOPANAX			
—pentaphyllum 8 ft. (Five Leaf Ara			
18 to 24 in	.20	.16	.14
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
ACER			
—dassycarpum 60 ft. (Silver Maple)		20	
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.00	.80	.70
1 ½ to 1 ½ in	1.15	1.00	.90
1½ to 1¾ in	$\frac{1.30}{2.00}$	1.15	1.00
1 \( \frac{3}{4} \) to 2 in	$\frac{2.00}{2.05}$	$\frac{1.75}{2.00}$	$\frac{1.50}{1.75}$
2 to 2½ in	2.25	$\frac{2.00}{2.50}$	1.75
2 ½ to 3 in	2.75	$\frac{2.50}{2.05}$	2.25
3 to 3½ in	$\frac{3.50}{4.50}$	$\frac{3.25}{4.05}$	3.00
3 ½ to 4 in	$\frac{4.50}{7.00}$	4.25	4.00
4 to 5 in5 to 6 in., price on request	7.00	6.00	
—dassycarpum wieri 50 ft. (Wier C	nt Lea	f Manle)	
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.35	1.15	1.00
1 ½ to 1½ in	1.50	1.35	1.25
1½ to 1¾ in	2.00	1.75	1.50
1 3/4 to 2 in	$\frac{2.50}{2.50}$	2.25	2.00
—ginnala 15 ft. (Amur Maple)	2.00	2.20	2.00
	70	e o	50
4 to 5 ft	1.00	.60	.50
5 to 6 ft	$\frac{1.00}{1.25}$	$\frac{.85}{1.15}$	1.00
6 to 8 ft 8 to 10 ft	$\frac{1.25}{2.00}$	$1.15 \\ 1.75$	$\frac{1.00}{1.50}$
0 10 10 10	2.00	1.79	1.50

ACER—Continued	Each 1-4	Each 5-24	Each 25-up
-negundo 60 ft. (Box Elder)			
6 to 8 ft	.75	.65	.55
8 to 10 ft	.90	.80	.70
1 1/4 to 1 1/2 in	1.00	.90	.80
1½ to 2 in	1.50	1.25	1.15
-palmatum 12 ft. (Greenleaf Japan	oco M	anla)	
3 to 4 ft. B&B	1.75	1.50	
4 to 5 ft. B&B	$\frac{1.75}{2.25}$	$\frac{1.30}{2.00}$	
5 to 6 ft D&D	$\frac{2.25}{3.00}$	$\frac{2.00}{2.75}$	
5 to 6 ft. B&B 6 to 8 ft. B&B	$\frac{3.00}{4.00}$	$\frac{2.75}{3.75}$	
	4.00	5.75	
—palmatum atropurpureum 10 ft.			
(Redleaf Japanese Maple)	1 50	1.05	1 00
15 to 18 in. B&B	1.50	1.25	1.00
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.00	2.75	2.50
3 to 3½ ft. B&B	3.50	3.25	3.00
3½ to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	4.50	4.25	4.00
5 to 6 ft. B&B	6.00	5.50	5.00
	10.00	9.00	8.00
—pennsylvanicum 20 ft. (Striped Ma	nle)		0.00
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.90	.80
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	$\frac{1.50}{2.00}$	1.75	1.50
0 to 0 1t	$\frac{2.50}{2.50}$	2.00	1.50
8 to 10 ft		2.00	
	1.50	1.35	1.10
6 to 8 ft	$\frac{1.30}{1.75}$	1.60	1.35
8 to 10 ft	$\frac{1.75}{2.25}$		
1 1/4 to 1 1/2 in		2.00	1.75
1½ to 1¾ in	2.50	2.25	2.00
1 3/4 to 2 in	2.75	2.50	2.25
2 to 2½ in	3.00	2.75	2.50
2½ to 3 in	3.50	3.25	3.00
3 to 3½ in	4.50	4.25	4.00
$3\frac{1}{2}$ to 4 in	6.00	5.50	5.00
	10.00	9.00	8.00
5 to 6 in., price on request			
-platanoides schwedleri 50 ft. (Schwedleri 50 ft.)			
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.75	2.50	2.25
2½ to 3 in	6.00	5.50	
3 to 3½ in	7.00	6.50	
3 ½ to 4 in	9.00	8.00	
4 to 5 in	12.00	10.00	
-rubrum 50 ft. (Red Maple)			
6 to 8 ft	1.50	1.25	1.10
8 to 10 ft	2.00	1.75	1.50
1 1/4 to 1 1/2 in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
1 3/4 to 2 in	3.75	3.50	3.00
2 to 2 ½ in	5.50	5.00	4.50
2 to 2 ½ in 2 ½ to 3 in	7.00	6.50	6.00
3 to 3 ½ in	9.00	8.00	0.00
	10.00	9.00	
$3\frac{1}{2}$ to 4 in4 to 6 inch, price on request	10.00	9.00	
4 to o men, price on request			

4	THE KALLAY	BROTI	HERS CO	MPANY
ACER Continue	1	Each	Each	Each
ACER—Continue		1-4	5-24	25-up
	. (Mountain Maple)			
		1.00	.90	.80
		1.50	1.25	1.00
		1.75	1.50	1.25
-tataricum 15 f	t. (Tatarian Maple)			
		1.00	.90	
6 to 8 ft		1.50	1.25	
-saccharum 60	ft. (Sugar or Rock	Manle	)	
		1.25	1.15	1.00
		1.75	1.50	1.25
	P	$\frac{1.15}{2.25}$	$\frac{1.50}{2.00}$	1.75
	r	$\frac{2.23}{2.50}$	$\frac{2.00}{2.25}$	2.00
		$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$
		3.50	3.25	3.00
		5.00	4.50	4.00
		6.00	5.50	5.00
		7.00	6.50	6.00
4 to 5 in		10.00	9.00	8.00
5 to 7 in., p	rice on request			
A ECCUITURE				
AESCULUS				
	(Red Flowering Hor			
		2.00	1.75	1.50
		2.25	2.00	1.75
4 to 5 ft		3.00	2.75	2.50
5 to 6 ft		4.50	4.00	
$1\frac{1}{2}$ to 2 in		8.00	7.00	
2 to 2½ in.		10.00	9.00	
$2\frac{1}{2}$ to 3 in.		12.50		
_hinnocastanum	40 ft. (Horsechest	nut)		
		2.00	1.75	
		$\frac{2.00}{3.00}$	2.75	
		5.00	$\frac{2.15}{4.50}$	
		5.50	$\frac{4.50}{5.00}$	
		9.00	8.00	
		14.00	12.00	
—pavia 30 ft. (B				
		2.50	2.00	
3 to 4 ft		3.00	2.50	
AILANTHUS				
	0. (5)	,		
	ft. (Tree of Heaven			
		.90	.80	.70
		1.35	1.25	1.00
		1.75	1.50	1.25
		2.25	2.00	1.75
		2.75	2.50	2.25
$2\frac{1}{2}$ to 3 in.		3.25	3.00	2.75
3 to 3½ in		4.50	4.00	
$3\frac{1}{2}$ to 4 in.		5.50	5.00	
AKEBIA				
—quinata 15 ft.	(Fiveleaf Akebia)			
		.30	.25	.20
· ·		.35	.30	.25

	Each	Each	Each
ALNUS	1-4	5-24	25-up
-glutinosa (European Alder) 50 ft.			
5 to 6 ft.	1.00	.75	
—incana 50 ft. (Speckled Alder)	1 00	7.5	
5 to 6 ft 6 to 8 ft	$\frac{1.00}{1.25}$	$\frac{.75}{1.00}$	
8 to 10 ft	$\frac{1.25}{1.75}$	1.50	
	1.10	1.50	
AMELANCHIER			
-canadensis 30 ft. (Downy Shadblo			4.0
2 to 3 ft	.50	.45	.40
3 to 4 ft	1.00	.55 $.80$	$.50 \\ .75$
4 to 5 ft	1.50		$\frac{.75}{1.25}$
5 to 6 ft6 to 8 ft	$\frac{1.50}{2.50}$	$\frac{1.35}{2.25}$	$\frac{1.25}{2.00}$
0 to 0 1t	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$
8 to 10 ft		$\frac{2.75}{3.75}$	$\frac{2.50}{3.50}$
10 to 12 ft	4.00	3.75	5.50
18 to 24 in.	.35	.30	.25
2 to 3 ft	.45	.40	.35
3 to 4 ft	.55	.50	.45
	.00	.00	.10
AMORPHA—			
—fruticosa 10 ft. (Indigobush)	0.5	0.0	10
2 to 3 ft	.25	$.20 \\ .25$	.18 $.22$
3 to 4 ft.	.30	.25 $.35$	.30
4 to 5 ft.	$.40 \\ .45$	.40	.35
5 to 6 ft	.45	.40	.50
—canescens 2 ft. (Lead Plant)	4.0	9.5	
12 to 15 in	.40	.35	
15 to 18 in	.45	.40	
18 to 24 in	.60	.50	
AMPELOPSIS			
-heterophylla 25 ft. (Porcelain Amp		)	
2 years	.35	.30	.25
-quinquifolia 40 ft. (Virginia Creep	er)		
2 years, \$120.00 per M	.20	.15	.12
3 years	.25	.20	.15
—quinquifclia engelmanni 40 ft. (En	gelmar	n Cree	
2 years, \$120.00 per M	.20	.15	.12
3 years	.25	.20	.15
—tricuspidata lowi			
2 years, from 3 in. pots	.50	.40	.35
—tricuspidata veitchi 50 ft. (Boston	Ivy)		
2 years medium	.16	.14	.12
2 years No. 1 \$130.00 per M	.25	20	.15
3 years No. 1	.30	.25	.20
AMYGDALUS			
—alboplena (Double White Flowerin	g Pea	ch)	
—rubroplena (Double Red Flowering		,	
2 to 3 ft	,35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.55	.50

ADATTA	Each	Each	Each
ARALIA	1-4	5-24	25-up
—spinosa 20 ft. (Hercules Club)	70	c o	=0
4 to 5 ft	$.70 \\ .80$	$.60 \\ .70$	.50
5 to 6 ft	1.00	.90	.60
6 to 8 ft	1.00	.90	.80
ARISTOLOCHIA			
-sipho 20 ft. (Dutchman's Pipe)			
3 in. Pots, 2 years grafted	.40	.35	.30
A DOMA A			
ARONIA—Pyrus	`		
-arbutifolia 6 ft. (Red Chokeberry		10	15
18 to 24 in	.20	.18	.15
2 to 3 ft	.35	$.30 \\ .40$	.25
3 to 4 ft	.45	.50	.35
4 to 5 ft	.60	.50	.45
-atropurpurea 6 ft. (Purple Chokebe		1.0	
18 to 24 in	.20	.18	.15
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.50	.45
-brilliantissima 6 ft. (Brilliant Cho	keberr		
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
-melanocarpa 8 ft. (Black Chokebe	erry)		
18 to 24 in	.20	.18	.15
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.50	.45
-melanocarpa elata 8 ft. (Glossy Cl	nokebe	rry)	
2 to 3 ft	.40	.35	.30
AZALEA			
—amoena 3 ft. (Amoena Azalea Cri	maan)		
9 to 12 in. B&B	1.25	1.15	1.00
12 to 15 in B&B	$\frac{1.25}{1.75}$	$1.15 \\ 1.50$	1.00
—calendulacea 8 ft. (Flame Azalea)	1.70	1.50	
15 to 18 in. B&B	1.50	1.25	
18 to 24 in. B&B	1.75	$\frac{1.25}{1.50}$	
2 to 3 ft. B&B	$\frac{1.75}{2.25}$	$\frac{1.30}{2.00}$	
-canescens roseum 6 ft. (Pink)	2.20	2.00	
15 to 18 in, B&B	1.50	1.25	
18 to 24 in. B&B	1.75	1.50	
2 to 3 ft. B&B	$\frac{1.75}{2.25}$	$\frac{1.30}{2.00}$	
—mollis—red and pink 3 ft. (Chines			
9 to 12 in. B&B	.70	.60	.50
12 to 15 in, B&B	1.00	.85	.75
15 to 18 in. B&B	1.35	1.20	1.00
18 to 24 in. B&B	$\frac{1.33}{2.00}$	$\frac{1.20}{1.75}$	1.50
—mollis-yellow 3 ft. (Chinese Azale		1.10	1.00
9 to 12 in. B&B	1.00	.85	.75
12 to 15 in. B&B	1.35	1.20	1.00
15 to 18 in. B&B	$\frac{1.33}{2.00}$	1.75	1.50
18 to 24 in. B&B	$\frac{2.00}{2.25}$	2.00	1.75
—mucronulata 5 ft. (Lavender, earl	v bloo	mer)	1.10
12 to 15 in. B&B	1.50	1.25	
15 to 18 in. B&B	1.75	1.50	
18 to 24 in. B&B	2.25	$\frac{1.50}{2.00}$	
, to to be in Dub	2.20	2.00	

TITLE TELL, OTTO			
AZALEA—Continued	Each 1-4	Each	Each
—nudiflora 6 ft. (Pinxterbloom)	1-4	5-24	25-up
15 to 18 in. B&B	1.50	1.05	
		1.25	
18 to 24 in. B&B	1.75	1.50	
2 to 3 ft. B&B	2.25	2.00	
BENZOIN			
-aestivale 12 ft. (Spicebush)			
18 to 24 in	.25	.22	.20
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.50	.45
		• • •	
BERBERIS	Each 1-24	Each 25-249	Each 250-up
-koreana 6 ft. (Korean Barberry)			
15 to 18 in	.30	.25	.20
3 to 4 ft	.60	.55	.50
—thunbergi 5 ft. (Japanese Barber	ry)		
12 to 15 in	.08	.07	.06
15 to 18 in 18 to 24 in	$.10 \\ .12$	.09 .11	.08
24 to 30 in	.16	.14	.12
30 to 36 in	.22	.20	.18
—thunbergi atropurpurea 5 ft. (Red	Japan	ese Bar	
12 to 15 in	.12	.10	.08
15 to 18 in	.16	.14	.12
18 to 24 in	.20	.17	.15
24 to 30 in 30 to 36 in	$.25 \\ .35$	$.22 \\ .30$	.18
3 to 4 ft	.45	.40	.35
—thunbergi minor 3 ft. (Box Barber		***	•00
9 to 12 in	.20	.17	.15
12 to 15 in	.25	.22	.20
15 to 18 in	.35	.30	.25
-thunbergi pluriflora erecta, Trueh	edge C	olumnb	erry)
Plant Patent No. 110 9 to 12 in	.13	.10	.08 ½
12 to 15 in	.15	.12	$.08\frac{72}{2}$
15 to 18 in	.17	.14	$.12\frac{1}{2}$
18 to 24 in	.20	.16	.14
24 to 30 in	.25	.20	.18
	Each	Each	Each
BETULA	1-4	5-24	25-up
-alba 40 ft. (European White Bir	ch) 1.25	1.10	1.00
6 to 8 ft 8 to 10 ft	$\frac{1.25}{1.50}$	$\frac{1.10}{1.35}$	$1.00 \\ 1.25$
1 ¼ to 1 ½ in	2.00	1.75	1.50
1 ½ to 1 ¾ in	2.50	2.25	2.00
1 3/4 to 2 in	3.00	2.75	2.50
2 to 2 ½ in	$\frac{4.00}{5.00}$	$\frac{3.75}{4.75}$	3.50
2 ½ to 3 in	$\frac{5.00}{6.50}$	$\frac{4.75}{6.00}$	4.50
3 to 3½ in	7.50	7.00	
V /2 VV + 1111	ų.J		

BETULA-—Continued	Each 1-4	Each 5-24	Each 25-up
—alba laciniata 40 ft. (Cut Leaf W			20-up
5 to 6 ft.	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	$\frac{2.50}{2.50}$	2.25	1.00
2 ½ to 3 in	6.50	6.00	
3 to 3 ½ in	7.50	7.00	
3 ½ to 4 in	8.50	8.00	
4 to 5 in	12.00	10.00	
5 to 6 in., price an request			
-lenta 45 ft. (Sweet Birch)		٠. ٣	
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.25	2.00	1.75
1 ½ to 1 ¾ in	2.50	2.25	2.00
,_ ,_	2.00	2.20	2.00
—lutea 40 ft. (Yellow Birch)			
6 to 8 ft	1.50	1.35	1.20
8 to 10 ft	2.25	2.00	1.75
1 ½ to 1 ½ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
—nigra 40 ft. (River Birch)			
5 to 6 ft	1.00	.90	.80
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	2.00	1.75	1.50
1 1/4 to 1 1/2 in	2.25	2.00	1.75
1½ to 1¾ in	2.50	2.25	
1 3/4 to 2 in	3.50	3.00	
2 to 2 ½ in	$\frac{4.50}{5.50}$	$\frac{4.00}{5.00}$	
2½ to 3 in	0.00	5.00	
5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	2.00
8 to 10 ft	3.50	3.25	3.00
10 to 12 ft	5.00	4.50	4.00
12 to 14 ft	6.50	6.25	6.00
—papyrifera 50 ft. (Canoe Birch)			
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
1½ to 1¾ in	2.50	2.25	2.00
1 \( \frac{3}{4} \) to 2 in	3.00	2.75	2.50
2 to 2½ in	4.00	3.75	3.50
2½ to 3 in	5.00	4.75	4.50
3 to 3½ in	6.50	6.00	
-populifolia 40 ft. Gray Birch)			
5 to 6 ft.	1.25	1.15	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
BIGNONIA			
-radicans 25 ft. (Trumpet Creepe	er)		
2 years No. 1 \$ 90.00 per M	.15	.12	.10
3 years No. 1 \$120.00 per M	.25	.20	.15
	5		

BUDDLEIA—(Butterfly Bush) —alternifolia (Lilac-purple)	Each 1-4	Each 5-24	Each 25-up
2 years	.30	.25	.20
2 years	.30	.25	.20
—concord (Reddish Blue) 2 years	.30	.25	.20
—farquhari (Lilac-purple) 2 years	.20	.15	.12
—dubonnet (Wine Red) 2 years	.30	.25	.20
—eleanor (Blue, Orange Eye) 2 years	.30	.25	.20
—ile de france (Claret-Purple)			
2 years	.30	.25	.20
2 years	.20	.15	.12
BUXUS—			
-sempervierens 12 ft. (Boxwood)	unshea		
8 to 12 in. B&B	.50	.45	.40
12 to 15 in. B&B	.80	.70	.60
15 to 18 in. B&B	1.25	1.15	1.00
30 to 36 in. B&B	4.00	3.50	
36 to 42 in. B&B	5.50	5.00	
42 to 48 in. B&B	6.50	6.00	
Sheared, Globe Form			
24 to 30 in. B&B	4.00	3.50	
30 to 36 in. B&B	5.50	5.00	
	0.00	5.00	
Sheared, Pyramidal Form			
24 to 30 in. B&B	3.00	2.75	
30 to 36 in. B&B	4.50	4.00	
36 to 42 in. B&B	5.50	5.00	
42 to 48 in. B&B	7.00	6.50	
CALLICARPA			
-americana 6 ft. (American Beau	tyberry	·)	
15 to 18 in	.25	.20	
18 to 24 in	.30	.25	
2 to 3 ft	.35	.30	
-purpurea 4 ft. (Chinese Beautybe	errv)		
18 to 24 in	.30	.25	
2 to 3 ft	$.3\overset{\circ}{5}$	.30	
2 00 0 10	.00	.00	
CALYCANTHUS			
—floridus 5 ft. (Strawberry Shrub)			
15 to 18 in	.25	.22	.18
18 to 24 in	.30	.25	.10
	.35	.30	
2 to 3 ft	.50	.50	
CARAGANA			
—arborescens 12 ft. (Siberian Peasl			
2 to 3 ft	.25	.22	.18
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
5 to 6 ft	.50	.45	.40
6 to 8 ft	.75	.60	.50

CARPINUS	Each	Each	Each
—carolineana 35 ft. (American Hor	1-4	5-24	25-up
6 to 8 ft.	3.50	3.00	
8 to 10 ft	4.50	4.00	
1 ½ to 1 ¾ in	5.50	5.00	
1 % to 2 in	6.50	6.00	
2 to 2 ½ in	8.00	7.00	
CATALPA			
-bignonioides nana 12 ft. (Umbrel	la Tree	)	
5 to 6 ft. 1 year head	1.00	.90	.80
5 to 6 ft. 2 years head	1.25	1.15	1.00
-speciosa 35 ft. (Western Catalpa)	)		
6 to 8 ft	.70	.60	.50
8 to 10 ft	.85	.75	.60
1½ to 2 in	$^{\circ}1.25$	1.15	1.00
2 to 2 ½ in	2.00	1.75	
CEANOTHUS			
—americana 3 ft. (Jersey Tea)			
15 to 18 in	.30	.25	.20
18 to 24 in	.40	.35	.30
	• • •	.00	•00
CELASTRUS	arraat)		
—orbiculatus 15 ft. (Oriental Bitter 2 years medium \$100.00 per M	.16	.14	.12
2 years No. 1 \$130.00 per M	.25	.14	.15
3 years No. 1 \$150.00 per M	.30	.25	.20
		.20	.40
—scandens 20 ft. (American Bitter: 2 years medium \$100.00 per M	.16	.14	.12
2 years No. 1 \$130.00 per M	.25	.20	.15
3 years No. 1 \$150.00 per M	.30	.25	.20
•	.00	.20	.20
CELTIS			
—occidentalis 45 ft. (Hackberry) 6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	$\frac{1.50}{2.00}$	$\frac{1.25}{1.75}$	1.50
1 1/4 to 1 1/2 in	$\frac{2.00}{2.25}$	$\frac{1.75}{2.00}$	
	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$	$\frac{2.00}{2.50}$	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\frac{2.75}{3.25}$	$\frac{2.50}{3.00}$	
· ·	0.20	0.00	
CEPHALANTHUS			
—occidentalis 6 ft. (Buttonbush)	0.0	10	4 10
18 to 24 in	.20	.18	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
CERCIS			
—canadensis 30 ft. (Judas Tree)			
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50
5 to 6 ft	.90	.80	.70
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.50	3.00	
CERCIDIPHYLLUM			
—japonicum 25 ft. (Katsura Tree)	7 50	7.00	
10 to 12 ft. B&B	7.50	7.00	
12 to 14 ft. B&B 14 to 16 ft. B&B	$10.00 \\ 13.00$	9.00	
14 W 10 II, D&D	19.00	12.00	

CHIONANTHUS	Each	Each	Each
-virginica 15 ft. (White Fringe)	1 - 4	5-24	25-up
2 to 3 ft	.45	.40	
4 to 5 ft	.90	.80	.60
5 to 6 ft	1.10	1.00	.90
6 to 8 ft	$\frac{1.10}{2.00}$	1.75	1.50
0 00 8 10	2.00	1.70	1.00
CLADRASTIS			
-lutea 35 ft. (Yellowwood)			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
CLEMATIS			
—paniculata 20 ft. (Sweet Autumn	Clomat	ia)	
2 years No. 1	.25	.20	.15
—hybrids, large flowering	.20	.20	.13
—henryi (Snow-white)	.45	.40	.35
—jackmanni (Violet-blue)	.45	.40	.35
-Mad. Ed. Andre (Wine-red)	.45	.40	.35
· · · · · · · · · · · · · · · · · · ·	.40	.40	.00
CLETHRA			
-alnifolia 6 ft. (Sweet Pepper Bus			
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50
5 to 6 ft	.80	.70	.60
CLERODENDRON			
—trichotomum 6 ft. (Harlequin)			
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
COLUTHEA	- \		
-arborescens 10 ft. (Bladder Senn		.30	.25
3 to 4 ft	$.35 \\ .40$	.35	.23
4 to 5 ft 5 to 6 ft	.50	.35 $.45$	.40
	.70	.60	.50
6 to 8 ft	.70	.00	.50
COMPTONIA			
-esplenifolia 3 ft. (Sweet Fern)			
15 to 18 in	.35	.30	.25
18 to 24 in	.40	.35	.30
24 to 30 in	.50	.45	.40
30 to 36 in	.60	.55	.50
CORNUS			
—alba sibirica 8 ft. (Coral Dogwood	d)		
18 to 24 in	.16	.14	.12
2 to 3 ft	.25	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.35	.30	.25
5 to 6 ft	.40	.35	.30
—alba elegantissima 6 ft. (Silverbl			
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50

CORNUS—Continued	Each 1-4	Each 5-24	Each 25-up
-alba spaethi 6 ft. (Golden Leaved	l Dogw	rood)	
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
-alternifolia 18 ft. (Pagoda Dogwo	ood)		
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.70	.60	.50
5 to 6 ft	.90	.80	.70
-amomum 8 ft. (Silky Dogwood)			
18 to 24 in	.16	.14	.12
2 to 3 ft	.25	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.35	.30	.25
5 to 6 ft	.40	.35	.30
-baileyi 10 ft. (Bailey Dogwood)	• • •	.00	.00
18 to 24 in	.20	.16	.12
2 to 3 ft	.25	.20	.16
3 to 4 ft	.30	.25	.20
—florida 20 ft. (White Flowering D	OGMOO	1)	.20
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.55	.45
4 to 5 ft. B&B	1.75	1.50	1.25
	$\frac{1.75}{2.50}$	$\frac{1.30}{2.25}$	2.00
5 to 6 ft. B&B			
6 to 8 ft. B&B	$\frac{4.00}{5.00}$	3.75	3.50
8 to 10 ft. B&B	5.50	5.25	5.00
10 to 12 ft. B&B	8.00	7.50	7.00
Large specimen, 2½ to 4 in. cal	1.,		
price on request.	na Dam	,,,,,,d)	
—florida rubra 20 ft. (Red Flowering)	$\frac{1.50}{1.50}$	1.25	1.00
2 to 3 ft. B&B			1.00
3 to 4 ft. B&B	1.75	1.50	1.25
4 to 5 ft. B&B	2.25	2.00	1.75
5 to 6 ft. B&B	$\frac{3.00}{5.00}$	2.75	2.50
6 to 8 ft. B&B	5.00	4.75	4.50
8 to 10 ft. B&B	8.00	7.50	7.00
10 to 12 ft. B&B	14.00	13.00	12.00
kousa 20 ft. (Kousa Dogwood)	1 0 5	1 00	
3 to 4 ft	1.25	1.00	
4 to 5 ft. B&B	2.00	1.50	
5 to 6 ft. B&B	2.25	2.00	
—mas 20 ft. (Cornelian Cherry)	4.0		0.0
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.60	.55
4 to 5 ft	1.00	.85	.75
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	5.00	4.50	4.00
-paniculata 12 ft. (Gray Dogwood)			
18 to 24 in	.20	.17	.15
2 to 3 ft	.25	.22	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.60	.55	.50
Large specimen, tree form 2 1/2			
to 4 in. caliper, price on reques	t.		

	Each	Each	Each
CORNUS—Continued	1-4	5-24	25-up
-sanguinea 10 ft. (Bloodtwig Dogw		0.0	4.0
2 to 3 ft	.25	.20	.18
3 to 4 ft	.30	.25	.22
-stolonifera 10 ft. (Red Osier Dogv	vood)		
18 to 24 in	.16	.14	.12
2 to 3 ft	.25	.20	.15
3 to 4 ft	.30	.25	.20
4 to 5 ft	.35	.30	.25
5 to 6 ft	.40	.35	.30
-stolonifera flaviramae 6 ft. (Golden	1 Twig	Dogwoo	od)
18 to 24 in	.25	.20	.18
2 to 3 ft	.30	.25	.22
3 to 4 ft	.40	.35	.30
0 00 7 1002			
CORYLUS			
-americana 12 ft. (American Hazel			_
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
5 to 6 ft	.70	.65	.60
6 to 8 ft	1.00	.85	.75
—avellana 15 ft. (English Filbert)			
3 to 4 ft	.55	.50	
4 to 5 ft	.65	.60	
COTONEASTER			
—acutifolia 12 ft. (Peking Cotoneas	tonl		
	.25	.22	.18
18 to 24 in	.35	.30	.25
2 to 3 ft 3 to 4 ft	.30	.35	.30
4 to 5 ft	.45	.40	.35
		.40	.00
—apiculata 5 ft. (Large Red Berries	*	75	
12 to 15 in. B&B	1.00	.75	
15 to 18 in. B&B	1.25	1.00	
-bullata 6 ft. (Red Berries)			
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	1.50	1.35	1.25
4 to 5 ft. B&B	2.00	1.75	
—dielsiana 6 ft. (Diels Cotoneaster)			
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
-divericata 6 ft. (Spreading Cotone	aster)		
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	1.50	1.35	1.25
4 to 5 ft. B&B	2.00	1.75	1.50
—foveolata 10 ft.			
18 to 24 in. B&B	1.00	.85	.75
2 to 3 ft. B&B	1.25	1.15	1.00
-horizontalis 3 ft. (Prostrate Quinc			
12 to 15 in. B&B	.80	.70	.65
15 to 18 in. B&B	1.10	1.00	.90
18 to 24 in. B&B	1.50	1.25	1.10
24 to 30 in. B&B	1.75	1.65	1.50
30 to 36 in. B&B	2.25	2.00	1.75
50 to 50 m. D&B	2.20	<b>=.</b> 00	2

	Each	Each	Each
COTONEASTER—Continued	1-4	5-24	25-up
-hupehensis 5 ft. (Hupen Cotoneas	ster)		
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	1.50	1.35	1.25
-integerrima 6 ft. (Bright Red Ber			
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
—lucida 12 ft.			
18 to 24 in. B&B	.80	.70	.60
2 to 3 ft. B&B	1.00	.90	.80
-microphylla 15 ft. (Rockspray)			
9 to 12 in. B&B	.70	.60	.50
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
-nitens 6 ft. (Purplish Black Berrie	es)		
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	1.50	1.35	1.25
-rotundifolia 6 ft. (Roundleaf Cot	oneaste	er)	
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
-salicifolia 10 ft. (Willowleaf Coto	neaste	r)	
18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	1.50	1.35	1.25
3 to 4 ft. B&B	2.00	1.75	1.50
-wilsoni 4 ft. (Wilson Cotoneaster)	)		
12 to 15 in. B&B	.80	.70	.65
15 to 18 in. B&B	1.10	1.00	.90
18 to 24 in. B&B	1.50	1.25	1.10
24 to 30 in. B&B	1.75	1.65	1.50
30 to 36 in. B&B	2.25	2.00	1.75
CRATAEGUS			
	m )		
—coccinea 15 ft. (Thicket Hawthor 2 to 3 ft	n) .80	.70	.60
3 to 4 ft	1.00	.90	.80
4 to 5 ft	1.25	1.15	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
-cordata 12 ft. (Washington Hawt	horn)		
2 to 3 ft.	1:00	.85	.70
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.50	3.25	3.00
-crusgalli 15 ft. (Cockspur Thorn)			
2 to 3 ft	1.00	.85	.70
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft 6 to 8 ft	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
0 00 0 10	2.10	2.00	2.20

CRATAEGUS—Continued —mollis 18 ft. (Downy Hawthorn)	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft	$\frac{1.00}{1.25}$	$\frac{.90}{1.15}$	$\frac{.80}{1.00}$
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	$\frac{2.50}{2.50}$	2.25	2.00
8 to 10 ft	3.50	3.25	3.00
—nitida 15 ft. (Glossy Hawthorn)	0.00	0.20	0.00
2 to 3 ft	1.00	.85	
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	$\frac{1.25}{1.75}$	$1.15 \\ 1.50$	$1.00 \\ 1.25$
-oxyacantha 12 ft. (English Hawth		1.50	1.40
2 to 3 ft	.80	.70	.60
3 to 4 ft	1.00	.90	.80
4 to 5 ft	$1.00 \\ 1.25$	1.15	1.00
	$\frac{1.23}{2.00}$	$\frac{1.15}{1.75}$	1.50
5 to 6 ft	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
6 to 8 ft			2.00
—oxyacantha pauli 15 ft. (Paul's Sc			
4 to 5 ft	1.60	1.40	
5 to 6 ft	1.75	1.65	
6 to 8 ft	2.50	2.25	2.00
-oxyacantha punicea 15 ft. (Single	Red	Thorn)	
4 to 5 ft	1.60	1.40	
5 to 6 ft	1.75	1.65	
-oxyacantha rosea plena 15 ft. (Do	uble P	ink Tho	rn)
4 to 5 ft	1.60	1.40	
5 to 6 ft	1.75	1.65	
—prunifolia 25 ft. (Plumleaf Hawth		1.00	
2 to 3 ft	1.00	.85	.70
3 to 4 ft	1.25	1.15	1.00
—punctata 22 ft. (Dotted Hawthorn		1.10	1.00
3 to 4 ft.	1.00	.90	
4 to 5 ft	1.25	1.15	
	1.75	$1.15 \\ 1.50$	
5 to 6 ft	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$	
6 to 8 ft		2.00	
—tomentosa 20 ft. (Pear Hawthorn)	1.05	1 1 1 1	
4 to 5 ft.	1.25	1.15	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
CDVDTOMEDIA			
CRYPTOMERIA	0.700 0.701	. )	
—japonica lobbi 20 ft. (Lobb Crypt 2 to 3 ft. B&B	$\frac{2.25}{2.25}$	2.00	1.75
	3.06	$\frac{2.00}{2.75}$	$\frac{1.13}{2.50}$
3 to 4 ft. B&B	$\frac{3.00}{4.00}$	$\frac{2.75}{3.75}$	$\frac{2.50}{3.50}$
4 to 5 ft. B&B	4.50	$\frac{3.75}{4.25}$	
5 to 6 ft. B&B	5.50	$\frac{4.25}{5.00}$	
6 to 7 ft. B&B	5.50	5.00	
CYDONIA			
-japonica 5 ft. (Japan Quince)			
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
japonica pygmea 3 ft. (Dwarf Ja	pan O	uince)	
15 to 18 in	.20	.17	.14
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
200 0 201111111111111111111111111111111			

CYDONIA—Continued	Each 1-4	Each 5-24	Each 25-up
—japonica umbilicata 8 ft. (Navel	Floweri	ng Quin	ce)
15 to 18 in	.35	.30	.25
· 18 to 24 in	.40	.35	.30
2 to 3 ft	.45	.40	.35
vulgaris			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
1 00 0 10:	****		. 20
DAPHNE			
-cneorum 15 in. (Garland Flower	)		
6 to 9 in. B&B	.50	.40	.35
9 to 12 in. B&B	.60	.50	.45
12 to 15 in. B&B	.70	.60	.55
15 to 18 in. B&B	.80	.70	.65
10 00 10 m, B@B		•••	
DESMODIUM			
—penduliflorum (Bushclover)			
2 years	.30	.25	.20
3 years	.40	.35	.30
3 3 444-12			
DEUTZIA			
—gracilis 3 ft. (Slender Deutzia)			
12 to 15 in	.20	.18	.15
15 to 18 in	.25	.22	.20
18 to 24 in		.30	.25
24 to 30 in		.35	.30
-gracilis rosea 4 ft. (Rose Panicle			.00
18 to 24 in.		.25	.20
24 to 30 in	.35	.30	.25
30 to 36 in		.35	.30
3 to 4 ft		.40	.35
—lemoini 5 ft. (Lemoine Deutzia)	.40	•40	.00
18 to 24 in	.25	.22	.18
2 to 3 ft		.30	.25
			.40
—scabra candissima 12 ft. (Snowfla 2 to 3 ft		tzia) .22	.18
3 to 4 ft		.25	.22
—scabra crenata rosea plena 7 ft.			utzia)
2 to 3 ft 3 to 4 ft	25	.22 $.30$	.18
4 to 5 ft	40	.35	.30
5 to 6 ft	50	.35	.40
	50		
—scabra pride of Rochester 7 ft. (			
		.22	.18
3 to 4 ft	50		
4 to 5 ft	40	.35	.30
DIERVILLA			
-trifida 4 ft. (Dwarf Bush Honey	anakla)		
18 to 24 in.	30	.25	,20
2 to 3 ft	35	.30	.25
3 to 4 ft	40	.35	.30
4 to 5 ft	45	.40	.35
1 00 0 10	40	.40	

	Each	Each	Each
DIOSPYROS	1-4	5-24	25-up
-virginiana 15 ft. (Common Persi	mmon)		
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
8 to 10 ft	$\frac{2.50}{3.25}$	$\frac{2.25}{3.00}$	
1½ to 1¾ in 1¾ to 2 in	$\frac{3.25}{3.75}$	$\frac{3.50}{3.50}$	
2 to 2 ½ in	$\frac{3.15}{4.50}$	$\frac{3.30}{4.00}$	
2 (0 2 /2 111	4.00	4.00	
ELEAGNUS			
-angustifolia 15 ft. (Russian Olive			
2 to 3 ft	.25	.20	.18
3 to 4 ft	.30	.25	.20
4 to 5 ft.	.40	.35	.30
5 to 6 ft.	.50	.45	.40
6 to 8 ft	.70	.60	.50
-argentea 12 ft. (Silverberry)	25	2.0	9.5
2 to 3 ft	$.35 \\ .45$	.30	$.25 \\ .35$
3 to 4 ft	.60	$.40 \\ .50$	.45
5 to 6 ft	.80	.70	.60
6 to 8 ft	1.00	.85	.75
—longipes 6 ft. (Cherry Eleagnus)	1.00	.00	. 10
18 to 24 in.	.35	.30	
2 to 3 ft	.45	.40	
		.40	
-umbellata 12 ft. (Autumn Eleagn	us)	20	0.5
2 to 3 ft	.35	$.30 \\ .35$	.25
3 to 4 ft	$.40 \\ .60$	.50	$.30 \\ .40$
4 to 5 ft5 to 6 ft	.70	.60	.50
5 60 6 16	.10	.00	.50
ELSHOLTZIA			
-stauntoni 4 ft.			
15 to 18 in	.40	.35	.30
18 to 24 in	.50	.45	.40
EUONYMUS			
-alatus 8 ft. (Winged Euonymus)	4 5	4.0	0.5
18 to 24 in	.45	.40	$.35 \\ .50$
2 to 3 ft	.80	.55 $.75$	.70
—alatus compacta 6 ft. (Dwarf Win			
15 to 18 in.	igea Lu .50	onymus .45	.40
		.40	.40
—americana 8 ft. (Brook Euonymus	.30	.25	.20
	.35	.30	.25
2 to 3 ft	.45	.40	.35
3 to 4 ft	.40	.40	.55
-atropurpureus 15 ft. (Wahoo)	.60	.50	
4 to 5 ft.	.80	.70	.65
5 to 6 ft			.00
-europaeus 15 ft. (European Burn	ing Bus	.25	.20
2 to 3 ft	.35	.30	.25
	.50	.45	.40
4 to 5 ft	.75	.65	.50
6 to 8 ft	1.00	.80	.75
U U U III	1,00	.00	

EHONIMMUS Continued	Each	Each	Each
EUONYMUS—Continued	1-4	5-24	25-up
-oxyphyllus 15 ft.	F 0		4.0
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.70	.60	
—patens syn. siboldianus 8 ft.			
12 to 15 in	.40	.35	.30
15 to 18 in	.45	.40	.35
-radicans 1 ft. (Wintercreeper)			
9 to 12 in	.25	.22	.18
12 to 15 in	.30	.25	.22
15 to 18 in	.40	.35	.30
18 to 24 in	.60	.55	.50
-radicans carrieri 3 ft. (Glossy W	Vinterci	reeper)	
12 to 15 in	.30	.25	.20
15 to 18 in	.35	.30	.25
18 to 24 in	.45	.40	.35
24 to 30 in	.55	.50	.45
-radicans colorata 1 ft. (Redleave	d Wint	ercreep	ar)
12 to 15 in	.30	.25	.20
15 to 18 in	.35	.30	.25
18 to 24 in	.45	.40	.35
			.00
—radicans erecta 3 ft. (Upright W	.30	.25	.20
12 to 15 in 15 to 18 in	.35	.30	.25
18 to 24 in	.35	.40	.35
24 to 30 in	.50	.45	.40
-radicans vegetus 4 ft. (Largeleaf	Winter	creeper	)
12 to 15 in	.35	.30	.25
15 to 18 in	.45	.40	.35
18 to 24 in	.55	.50	.45
-radicans vegetus upright form			
18 to 24 in	.60	.55	.50
24 to 30 in	.70	.65	.60
-yedoensis 10 ft. (Yeddo Euonym			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.70	.60	.50
6 to 8 ft	.90	.80	.70
EVOCUORRIA			
EXOCHORDIA			
-grandiflora 10 ft. (Pearl Bush)			
2 to 3 ft	.25	.22	.20
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.70	.65	.50
W. A. C. C. C.			
FAGUS			
-americana 60 ft. (American Beed	eh)		
5 to 6 ft. B&B	4.50	4.00	
6 to 8 ft. B&B	5.50	5.00	-
2 to 2½ in. B&B	8.00	7.00	
2½ to 3 in. B&B	10.00	9.00	
3 to 3½ in. B&B	15.00	14.00	

EACHE Continued	Each	Each	Eacl
FAGUS—Continued	1-4	5-24	25-uj
-sylvatica 75 ft. (European Beech			
3 to 4 ft. B&B	2.00	1.75	
4 to 5 ft. B&B	3.00	2.50	
5 to 6 ft. B&B	4.00	3.50	
6 to 8 ft. B&B	5.00	4.50	
-sylvatica heterophylla 40 ft. (Fer	rnleaf E	Beech)	
2 to 3 ft. B&B	2.50	2.25	
3 to 4 ft. B&B	3.50	3.00	
-sylvatica pendula 40 ft. (Weeping			
2 to 3 ft. B&B	2.50	2.25	
4 to 5 ft. B&B	5.00	$\frac{2.23}{4.50}$	
5 to 6 ft. B&B	6.50	6.00	
6 to 8 ft. B&B	10.00		
-sylvatica riversi 45 ft. (Rivers Pu			
2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	5.50	5.00	4.50
5 to 6 ft. B&B	6.50	6.00	
6 to 8 ft. B&B	10.00	9.00	
2 to 2½ in. B&B	15.00		
2½ to 3 in. B&B	20.00		
	20.00		
FONTANESIA			
-fortuni 15 ft. (Fortune Fontanes	ia)		
4 to 5 ft	.40	.35	.30
5 to 6 ft	.60	.50	.40
FORSYTHIA			
	:- \		
-intermedia 7 ft. (Border Forsyth		0.5	0.0
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
—intermedia spectabilis 8 ft. (Show	vy Bord	ler Fors	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
-ovata 8 ft. (Korean Forsythia)			
2 to 3 ft	.50	.45	.40
-suspensa 5 ft. (Weeping Forsythi			
			.4(
		25	
2 to 3 ft	.30	.25	.20
2 to 3 ft 3 to 4 ft	$.30 \\ .35$	.30	.20
2 to 3 ft 3 to 4 ft 4 to 5 ft	$.30 \\ .35 \\ .40$	$.30 \\ .35$	.20
2 to 3 ft	.30 $.35$ $.40$ Forsythi	.30 .35	.20 .25 .30
2 to 3 ft	.30 .35 .40 Forsythi .30	.30 .35 (a)	.26 .25 .30
2 to 3 ft	.30 .35 .40 Forsythi .30 .35	.30 .35 (a) .25 .30	.20 .25 .30
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40	.30 .35 (a)	.20 .25 .30
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40	.30 .35 (a) .25 .30	.20
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40	.30 .35 (a) .25 .30	.20 .25 .30 .20 .25
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30	.30 .35 (a) .25 .30 .35	.20 .25 .30 .20 .25
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia)	.30 .35 (a) .25 .30 .35	.20 .25 .30 .20 .25
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30	.30 .35 (a) .25 .30 .35	.20 .21 .30 .20 .21 .30
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30	.30 .35 .35 .25 .30 .35 .25 .30	.26 .28 .36 .20 .28 .30
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30 .35	.30 .35 .35 .25 .30 .35 .25 .30	.20 .28 .30 .20 .23 .30 .20 .21
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30 .35	.30 .35 .35 .25 .30 .35 .25 .30	.20 .23 .30 .20 .23 .30 .2 .2 .2
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30 .35	.30 .35 .35 .30 .35 .25 .30 .35 .25 .30	.20 .25 .30 .20 .21 .30 .22 .22 .23
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .30 .35	.30 .35 .35 .25 .30 .35 .25 .30 .35 .30	.20 .21 .30 .21 .30 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .35 .35	.30 .35 .35 .25 .30 .35 .25 .30 .1.15 1.35 1.65 1.85 2.25	.20 .21 .30 .21 .30 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21
2 to 3 ft	.30 .35 .40 Forsythi .30 .35 .40 sythia) .35 .1.25 1.50 1.75 2.00 2.50 3.50	.30 .35 .35 .25 .30 .35 .25 .30 .1.15 1.35 1.65 1.85 2.25 3.00	.20 .21 .30 .21 .30 .22 .30 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  —suspensa fortuni 7 ft. (Fortune 1) 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  —viridissima 5 ft. (Greenstem For: 2 to 3 ft. 3 to 4 ft.  FRAXINUS  —americana 60 ft. (White Ash) 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in.	.30 .35 .40 Forsythi .30 .35 .40 sythia) .35 .35	.30 .35 .35 .25 .30 .35 .25 .30 .1.15 1.35 1.65 1.85 2.25	.20 .25 .30

FRAXINUS—Continued	Each 1-4	Each 5-24	Each 25-up
—excelsior 90 ft. (European Ash)		0 = 1	=o up
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	1.50	1.35	1.20
1 1/4 to 1 1/2 in	1.75	1.65	1.45
1½ to 1¾ in	2.00	1.80	1.75
1 % to 2 in	2.50	2.25	2.00
2 to 2½ in	3.50	3.00	
—lanceolata 60 ft. (Green Ash)			4 00
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	1.50	1.35	1.20
1 ½ to 1 ½ in	$\frac{1.75}{2.00}$	$\frac{1.65}{1.85}$	$1.45 \\ 1.75$
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\frac{2.00}{2.50}$	$\begin{array}{c} 1.85 \\ 2.25 \end{array}$	$\frac{1.75}{2.00}$
1 ¾ to 2 in	$\frac{2.50}{3.50}$	$\frac{2.25}{3.00}$	2.00
2 to 2½ in 2½ to 3 in	$\frac{3.50}{4.50}$	$\frac{3.00}{4.00}$	
—mandshurica 75 ft. (Manchurian A		4.00	
6 to 8 ft	1.50	1.35	1.20
8 to 10 ft	1.75	1.65	1.45
GINKGO			
—biloba 60 ft. (Maidenhair Tree)			
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
1 1/4 to 1 1/2 in	3.50	3.25	3.00
1½ to 1¾ in	5.00	4.50	4.00
1 3/4 to 2 in	5.75	5.50	
GLEDITSIA			
-triocanthos 60 ft. (Honey Locust)	1		
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
1 1/4 to 1 1/2 in	2.00	1.75	1.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.25	2.00
1 3/4 to 2 in,	3.00	2.75	
triocanthos inermis 50 ft. (Thorn)	less Ho		
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1 ½ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00
1 % to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	
GYMNOCLADUS	,		
—dioica 40 ft. (Kentucky Coffee Ti		1.00	
4 to 5 ft.	1.25	1.00	
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75	2.50	
1 1/4 to 1 1/2 in	4.50	4.00	
HAMAMELIS —virginiana 15 ft. (Witch-Hazel)			
virginiana 15 It. (Witch-Hazel)	9.0	95	90
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
	.50	.45	.40
4 to 5 ft 5 to 6 ft	1.00	.65	.55
6 to 8 ft	$\frac{1.00}{1.25}$	$\frac{.90}{1.00}$	.80
0 00 0 10	1.40	1.00	

WANTANDA G .: .	Each	Each	Each
HAMAMELIS—Continued	1-4	5-24	25-up
-vernalis 6 ft. (Vernal Witch Haze		F 0	4.0
18 to 24 in	.60	.50	.40
HALESIA			
-tetraptera 14 ft. (Great Silverbe	11)		
5 to 6 ft	.80	.70	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
0 00 10 10	2.00	2.20	2.00
HEDERA			
—helix 40 ft. (English Ivy)			
$2\frac{1}{4}$ in. pots, 1 year	.30	.25	.20
4 in. pots, 2 runners	.45	.40	.35
HIDISCUS 15 ft (Althor	`		
HIBISCUS—syriacus 15 ft. (Althea	· <i>)</i>		
—anemonaeflorus—double rose —ardens—double violet			
-banner-double white, red stripe	S		
—lucy—double red	4		
—pulcherrima—double flesh, red c —purpurea semi plena—semi double	enter		
—purpurea semi piena—semi double	e purpie		
-totus albus-single white			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.35	.30
4 to 5 ft	.45	.40	.35
HYDRANGEA			
—arborescens grandiflora 6 ft. (Hi	lla of Sr	,,,,,	
18 to 24 in.	.30	.25	.20
2 to 3 ft	.35	.30	.25
wilder blue 5 ft (Hondy Plue Hy		.00.	.20
-nikko blue 5 ft. (Hardy Blue Hy 12 to 15 in. B&B	1 00	.85	.75
15 to 18 in. B&B	1.25	1.10	1.00
18 to 24 in. B&B	$\frac{1.25}{1.50}$	$1.10 \\ 1.25$	
–paniculata grandiflora 7 ft. (Pege			
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
-quercifolia 4 ft. (Oakleaf Hydran	(890	.00	.20
18 to 24 in.	.60	.55	.50
2 to 3 ft	.70	.65	.60
2 00 0 10	.10	.00	.00
HYPERICUM			
-aureum 4 ft. (Golden St. Johnsw	orth)		
18 to 24 in	.30	.25	.20
2 to 2½ ft	.35	.30	.25
-densiflorum 4 ft. (St. Johnsworth	1)		
18 to 24 in	.30	.25	.20
2 to 2½ ft	.35	.30	.25
	.00	~ =	.30
	.40	.35	
2½ to 3 ft		.35	
2½ to 3 ft	.40	.25	
2½ to 3 ft. -moserianum 2 ft. (Goldflower)	.40	.25 .30	.20 .25
2½ to 3 ft. -moserianum 2 ft. (Goldflower) 15 to 18 in.	.40	.25	.25
2½ to 3 ft. -moserianum 2 ft. (Goldflower) 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	.40 .30 .35 .40 .45	.25 .30 .35	$.25 \\ .30$
2½ to 3 ft. -moserianum 2 ft. (Goldflower) 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	.40 .30 .35 .40 .45	.25 .30 .35 .40	$.25 \\ .30$
2½ to 3 ft.  -moserianum 2 ft. (Goldflower) 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.  -prolificum 5 ft. (Shrubby St. Joh	.40 .30 .35 .40 .45	.25 .30 .35 .40	
2½ to 3 ft.  -moserianum 2 ft. (Goldflower) 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.  -prolificum 5 ft. (Shrubby St. Joh 18 to 24 in.	.40 .30 .35 .40 .45 nsworth	.25 .30 .35	.25 .30 .35
2½ to 3 ft.  -moserianum 2 ft. (Goldflower) 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.  -prolificum 5 ft. (Shrubby St. Joh	.40 .30 .35 .40 .45 nsworth .30	.25 .30 .35 .40	.25 .30 .35



ILEX	Each	Each 5-24	Each 25-up
-crenata 10 ft. (Japanese Holly)	1-4	0-24	20-up
15 to 18 in. B&B	1.75	1.50	
18 to 24 in. B&B	$\frac{1.75}{2.00}$	1.75	
2 to 3 ft. B&B	$\frac{2.00}{3.00}$	$\frac{1.75}{2.75}$	
3 t) 4 ft. B&B	$\frac{3.00}{4.00}$	$\frac{2.75}{3.50}$	
—glabra 5 ft. (Ink Berry)	±.00	0.00	
3	1.05	1.00	0.5
12 to 15 in. B&B	1.25	1.00	.85
15 to 18 in. B&B	$\frac{1.50}{2.00}$	$\frac{1.25}{1.75}$	1.00
18 to 24 in. B&B	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
2 to 2½ ft. B&B 2½ to 3 ft. B&B	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$
	0.00	4.10	2.00
—Opaca 20 ft. (American Holly)			,
18 to 24 in. B&B	2.00	1.75	1.50
2 to 3 ft. B&B	2.75	2.50	2.25
3 to 4 ft. B&B	3.50	3.25	3.00
4 to 5 ft. B&B	4.50	4.25	4.00
5 to 6 ft. B&B	5.00	4.50	
-verticilata 6 ft. (Winterberry)			
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50
5 to 6 ft	.75	.70	.65
6 to 8 ft	1.00	.85	.75
JUGLANS —cinerea 75 ft. (Butternut)			
	1.00	0.0	
4 to 5 ft.	1.00	.80	
5 to 6 ft.	1.25	1.00	
6 to 8 ft	1.75	1.50	
—nigra 80 ft. (Black Walnut)			
5 to 6 ft	1.00	.85	
6 to 8 ft	1.25	1.00	
8 to 10 ft	2.00	1.75	
$1\frac{1}{2}$ to 2 in	2.75	2.50	
-seiboldiana 50 ft. (Japanese Walnu	ıt)		
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	
		.50	

PAINESVILLE, OHIO			23
JUNIPERUS	Each 1-4	Each 5-24	Each 25-up
—chinensis 20 ft. (Chinese Juniper)	1-4	0-24	20-up
2 to 3 ft. B&B	1.75	1.50	1.25
-chinensis columnaris glauca 20 ft.		2100	1,,,,,
(Blue Chinese Juniper)			
2 to 3 ft, B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	
4 to 5 ft. B&B	4.25	4.00	
5 to 6 ft. B&B	5.50	5.00	
6 to 7 ft. B&B	6.50	6.00	
7 to 8 ft. B&B	7.50	7.00	
-chinensis globosa 4 ft. (Globe Ch	inese J	(uniper)	
18 to 24 in. B&B	1.50	$1.25^{\circ}$	
24 to 30 in. B&B	2.00	1.75	
30 to 36 in. B&B	2.50	2.25	
—chinensis mascula 12 ft.			
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	4.25	$\frac{1}{4.00}$	
5 to 6 ft. B&B	5.50	5.00	
6 to 7 ft. B&B	6.50	6.00	
7 to 8 ft. B&B	7.50	7.00	
8 to 9 ft. B&B	9.00	8.00	
—chinensis oblonga 8 ft.			
2 to 3 ft. B&B	2.50	2.25	
3 to 4 ft. B&B	3.00	2.75	
-chinensis pfitzeriana 6 ft. (Pfitzer	Junipe	er)	
12 to 15 in spreading B&B	$1.00^{\circ}$	.85	.75
15 to 18 in. spreading B&B	1.25	1.15	1.00
18 to 24 in. spreading B&B	1.75	1.50	1.25
24 to 30 in. spreading B&B	2.25	2.00	1.75
30 to 36 in. spreading B&B	3.00	2.75	2.50
18 to 24 in. upright B&B	1.75	1.50	1.25
24 to 30 in. upright B&B	2.50	2.25	2.00
30 to 36 in. upright B&B	3.00	2.75	2.50
3 to 4 ft. upright B&B	3.75	3.50	
4 to 5 ft. upright B&B	5.00	4.75	4.50
5 to 6 ft. upright B&B	6.00	5.50	
—pfitzeriana Kallay's Compacta	0.00	0.00	
12 to 15 in. B&B	1.00	.95	.85
15 to 18 in. B&B	1.30	1.20	1.10
18 to 24 in. B&B	$\frac{1.50}{1.75}$	1.60	1.35
24 to 30 in. B&B	2.50	$\frac{1.00}{2.25}$	2.00
30 to 36 in. B&B	$\frac{2.00}{3.25}$	3.00	2.75
55 56 56 III. D&D	J		



#### Juniperus Pfitzeriana Kallay's Compacta

A new, compact pfitzer juniper developed by us regarding which a foremost landscape architect and horticultural writer wrote as follows:

"JUNIPERUS pfitzeriana Kallay's compacta is an evergreen that everyone has been looking for. It has all the qualities of the well known Pfitzer's Juniper—light gray green foliage, smoke and disease resistant, perfectly hardy, and easily transplanted. In addition it grows in a compact form. Instead of having irregular broad branches that tend to grow upwards, leaving the center low as the ordinary Pfitzer's juniper, it sends out small regular branches that are full clear to the ground with a full center. As the ordinary Pfitzer's juniper gets old it tends to get leggy. This new variety remains always bushy and compact.

It can be used in formal planting as a globe type of evergreen, as a hedge, or in informal planting as a facer to higher evergreens or deciduous planting. It is an excellent evergreen for house foundation planting or in masses for park effect. It is the favorite Pfitzer's juniper plus."

1			
JUNIPERUS—Continued	Each 1-4	Each 5-24	Each 25-up
—chinensis pyramidals 12 ft. (Green	Chinese	Junipe	r)
2 to 3 ft. B&B	2.25	2.00	
3 to 4 ft. B&B	3.00	2.75	
4 to 5 ft. B&B	4.25	4.00	
5 to 6 ft	5.50	5.00	
-chin. sargenti 1½ ft. (Sargent Jun	niper)		
12 to 15 in. B&B	1.50	1.25	
15 to 18 in. B&B	1.75	1.50	
—communis 8 ft. (Common Juniper)			
4 to 5 ft. B&B	2.50	2.25	
5 to 6 ft. B&B	3.50	3.25	
—communis depressa 2 ft. (Prostrate	. Junine	r)	
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
24 to 30 in. B&B	2.25	2.00	1.75
30 to 36 in. B&B	$\frac{2.25}{2.75}$	$\frac{2.50}{2.50}$	$\frac{1.15}{2.25}$
3 to 4 ft. B&B	$\frac{2.15}{3.50}$	$\frac{2.30}{3.25}$	3.00
—communis depressa aurea 2 ft. (Go	olden Pr	ostrate	
Juniper)	1 00	0 =	
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
24 to 30 in. B&B	2.25	2.00	1.75
30 to 36 in. B&B	2.75	2.50	
communis depressa plumosa 2 ft. (	Andorr	a Junip	er)
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.35	1.15	1.00
18 to 24 in. B&B	1.75	1.50	1.25
24 to 30 in. B&B	2.25	2.00	1.75

JUNIPERUS—Continued	Each 1-4	Each 5-24	Each 25-up
-communis hibernica 15 ft. (Irish			20 ap
15 to 18 in. B&B	.80	.75	.60
18 to 24 in. B&B	1.00	.85	.75
24 to 30 in. B&B	1.25	1.15	1.00
			1.00
—communis suecica 20 ft. (Swedish			
15 to 18 in. B&B	.80	.70	
18 to 24 in. B&B	1.00	.85	
24 to 30 in. B&B	1.25	1.15	
30 to 36 in. B&B	1.75	1.60	
3 to 4 ft. B&B	2.25	2.00	
-excelsa stricta 12 ft. (Spiney Gree	k Junij	oer)	
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
24 to 30 in. B&B	2.00	1.75	
30 to 36 in. B&B	3.00	2.75	
-horizontalis 1 ft. (Creeping Junip	or)		
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	$\frac{1.25}{1.75}$	$1.15 \\ 1.50$	$1.00 \\ 1.25$
24 to 30 in, B&B	2.00	1.75	$\frac{1.25}{1.50}$
			1.50
—horizontalis douglasi 1 ft. (Creeping			
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.75	1.50	1.25
24 to 30 in. B&B	2.00	1.75	1.50
30 to 36 in. B&B	2.25	2.00	
-horizontalis glauca 1 ft. (Blue Cre	eping :	Juniper)	
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in, B&B	1.75	1.50	1.25
24 to 30 in, B&B	2.00	1.75	1.50
30 to 36 in. B&B	2.25	2.00	
—japonica syn. procumbens 3 ft. (Ja		. Tunina	)
12 to 15 in. B&B	1.10	e Jumpe 1.00	.85
15 to 18 in, B&B	1.30	$\frac{1.00}{1.20}$	1.10
18 to 24 in. B&B	1.75	$\frac{1.20}{1.60}$	1.40
24 to 30 in. B&B	$\frac{1.75}{2.25}$	$\frac{1.00}{2.00}$	1.40
30 to 36 in. B&B	$\frac{2.25}{3.00}$	$\frac{2.00}{2.75}$	
	5.00	4.10	
-sabina 5 ft. (Savin Juniper)			
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.75	1.50	1.25
24 to 30 in. B&B	2.00	1.75	1.50
30 to 36 in. B&B	2.50	2.25	
-sabina tamariscifolia 1½ ft. (Tam			
12 to 15 in. B&B	1.10	1.00	.85
15 to 18 in. B&B	1.30	1.20	1.10
18 to 24 in. B&B	1.75	1.60	1.40
24 to 30 in. B&B	2.00	1.75	
-scopularum Chandlers Blue 25 ft.			
18 to 24 in. B&B	1.75	1.50	
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50

JUNIPERUS—Continued	Each 1-4	Each 5-24	Each 25-up
—squamata meyeri 4 ft. (Meyer's	Juniper	.)	
12 to 15 in, B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.50	1.35	1.25
18 to 24 in. B&B	2.00	1.75	1.50
	$\frac{2.00}{2.25}$	2.00	$\frac{1.30}{1.75}$
24 to 30 in. B&B	2.23	2.00	1.70
-virginiana 25 ft. (Red Cedar)			
2 to 3 ft. B&B	2.00	1.75	1.50
3 to 4 ft. B&B	2.25	2.00	1.75
4 to 5 ft. B&B	3.00	2.75	2.50
5 to 6 ft. B&B	4.00	3.75	3.50
6 to 7 ft. B&B	5.00	4.75	4.50
7 to 8 ft. B&B	6.00	5.75	5.50
8 to 9 ft. B&B	8.00	7.50	7.00
9 to 10 ft. B&B	11.00	10.00	9.00
10 to 12 ft. B&B	15.00	14.00	12.00
-vir. burki syn. virg. venusta 15 ft			
18 to 24 in. B&B	2.00	1.75	1.50
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	4.25	4.00	
-virg. cannarti 18 ft. (Cannart Re			4 50
18 to 24 in. B&B	2.00	1.75	1.50
2 to 3 ft. B&B	2.50	2.25	$^{2.00}$
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	4.25	4.00	3.75
5 to 6 ft. B&B	5.50	5.25	5.00
6 to 7 ft. B&B	6.50	6.00	
7 to 8 ft. B&B	7.50	7.00	
-virg. cannarti Kallay's type 20 f	t.		
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	4.25	4.00	
5 to 6 ft. B&B	5.50	5.00	
6 to 7 ft. B&B	6.50	6.00	
7 to 8 ft. B&B	7.50	7.00	
-virg. elegantissima lee 15 ft. (Go)			
2 to 3 ft. B&B	2.50	2.25	
3 to 4 ft. B&B	3.00	2.75	
4 to 5 ft. B&B	4.25	4.00	
5 to 6 ft. B&B	5.50	5.00	
6 to 7 ft. B&B	6.50	6.00	
-virg. glauca 20 ft. (Blue Cedar)			
18 to 24 in. B&B	2.00	1.75	1.50
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft, B&B	4.25	4.00	3.75
5 to 6 ft. B&B	5.50	5.25	5.00
6 to 7 ft. B&B	6.50	6.25	6.00
7 to 8 ft. B&B	7.50	7.25	7.00
8 to 9 ft. B&B	10.00	9.00	
-virg. glauca Kallay's blue 20 ft.	10.00	0.00	
2 to 3 ft. B&B	2.50	2.25	2.00
2 to 3 ft. B&B 3 to 4 ft. B&B			
	3.00	2.75	2.50
	4.25	$\frac{4.00}{5.00}$	3.75
5 to 6 ft. B&B	5.50	5.00	
6 to 7 ft. B&B	6.50	6.00	
7 to 8 ft. B&B	7.50	7.00	

JUNIPERUS—Continued	Each	Each	Each
	1-4	5-24	25-up
-virg. globosa 4 ft. (Globe Juniper		0.05	
30 to 36 in. B&B	2.50	2.25	
3 to 4 ft. B&B	4.00	3.50	
-virg. keteleeri 15 ft.			
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	4.25	4.00	$\frac{2.00}{3.75}$
	5.50	5.25	5.00
5 to 6 ft. B&B			
6 to 7 ft. B&B	6.50	6.25	6.00
7 to 8 ft. B&B	7.50	7.00	
8 to 9 ft. B&B	10.00	9.00	
9 to 10 ft. B&B	12.00	11.00	
10 to 12 ft. B&B	15.00	14.00	
-pendula 15 ft. (Weeping Red Ced	lar)		
2 to 3 ft. B&B	2.50	2.25	
3 to 4 ft. B&B	$\frac{2.00}{3.00}$	$\frac{2.25}{2.75}$	
5 to 4 lt. D&D			
4 to 5 ft. B&B	4.00	3.75	
5 to 6 ft. B&B	4.75	4.50	
6 to 7 ft. B&B	5.50	5.00	
—pyramidaformia 20 ft. (Hill's Pyra	ımid Ju	niper)	
18 to 24 in. B&B	2.00	1.75	1.50
-virg. schotti 18 ft. (Schott's Red	Cedar)		
2 to 3 ft. B&B	2.50	2.25	2.00
	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	$\frac{2.50}{2.50}$
3 to 4 ft. B&B			
4 to 5 ft. B&B	4.00	3.75	
5 to 6 ft. B&B	5.50	5.00	
KALMIA			
—latifolia 6 ft. (Mountain Laurel)			
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50 -	2.25	2.00
30 to 36 in. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	3.50	$\frac{2.15}{3.25}$	3.00
	5.00	$\frac{3.25}{4.50}$	4.00
4 to 5 ft. B&B	5.00	4.50	4.00
KERRIA			
—japonica fl. pl. 6 ft. (Double Flow			
15 to 18 in	.35	.30	.25
18 to 24 in	.45	.40	.35
2 to 3 ft	.55	.50	.45
KOELREUTERA			
—paniculata 25 ft. (Goldenrain Tre	(00		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.25	2.00	
KOLKWITZIA			
-amabilis 6 ft. (Beautybush)			
18 to 24 in	.40	.35	.30
2 to 3 ft	.45	.40	.35
3 to 4 ft	.55	.50	.45
TADIDATIA	.00	.50	.40
LABURNUM—	\		
-alpinum 30 ft. (Scotch Laburnum		0.0	0.0
4 to 5 ft	1.00	.90	.80
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
-vulgare 20 ft. (Goldenchain)			
4 to 5 ft	1.00	.90	
5 to 6 ft	1.50	1.35	
• • • • • • • • • • • • • • • • • • • •	1.00	~00	

LARIX	Each 1-4	Each 5-24	Each 25-up
—europaea 60 ft. (European Larch)			
5 to 6 ft. B&B	5.00	4.50	
6 to 8 ft. B&B	6.00	5.50	
LEUCOTHOE			
—catesbaei 6 ft. (Drooping Leucot			
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.75	1.50	1.25
LIGUSTRUM	Each	Each	Each
—amurense 12 ft. (Amur Privet)	1-24	25-249	250-up
12 to 18 in. 3 canes and up	.05	.04	.03 1/2
18 to 24 in. 3 canes and up	.06	.05	$.04\frac{1}{2}$
2 to 3 ft. 4 canes and up	.08	.07	$.06\frac{1}{2}$
3 to 4 ft. 5 canes and $up_{}$	.12	.10	.09
-ibolium 10 ft. (Hardy California I	Privet)		
12 to 18 in	.05	.04	$.03\frac{1}{2}$
18 to 24 in	.06	.05	$.04\frac{1}{2}$
2 to 3 ft	.08	.07	$.06 \frac{1}{2}$
3 to 4 ft	.12	.10	.09
4 to 5 ft	.25	.20	.15
-ibota 8 ft. (Chinese Privet)			
18 to 24 in	.10	.09	.08
2 to 3 ft	.15	.14	.12
3 to 4 ft	.20	.17	.15
4 to 5 ft	.35	.30	.25
ibota regelianum 6 ft. (Regal Priv			
12 to 18 in	.16	.15	.14
18 to 24 in	.25	.22	.18
24 to 30 in	.30	.271	
30 to 36 in	.40	.35	.30
-nanum compactum 3½ ft. (Lodens	se Prive	et)	
12 to 15 in	.25	.20	
15 to 18 in	.30	.25	
—ovalifolium 10 ft. (California Priv	ret)		
12 to 18 in. 3 canes and up	.05	.04	$.03\frac{1}{2}$
18 to 24 in. 3 canes and up	.06	.05	$.04\frac{1}{2}$
2 to 3 ft. 4 canes and up	.08	.07	$.06\frac{1}{2}$
	.12	.10	.09
3 to 4 ft. 4 canes and up			
3 to 4 ft. 4 canes and up —ovalifolium variegatum 10 ft. (Ge	olden C	alif. P	rivet)
—ovalifolium variegatum 10 ft. (Go	.25	.22	.18
	$.25 \\ .30$	$.22 \\ .25$	.18 .20
	.25	.22 .25 .30	.18
—ovalifolium variegatum 10 ft. (Go	$.25 \\ .30$	$.22 \\ .25$	.18 .20
	.25 $.30$ $.35$	.22 .25 .30	.18 .20 .25
ovalifolium variegatum 10 ft. (General School of Schoo	.25 $.30$ $.35$	.22 .25 .30	.18 .20 .25

LIRIODENDRON	Each 1-4	Each 5-24	Each 25-up
-tulipifera 60 ft. (Tulip Tree)	1-4	0-24	20-up
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
1 1/4 to 1 1/2 in		2.00	
1 ½ to 1 ¾ in		$\frac{2.50}{2.50}$	
1 % to 2 in	3.50	3.00	
2 to 2 ½ in	4.00	3.50	
2 ½ to 3 in	5.50	5.00	
3 to 3 ½ in	6.50	6.00	
3 ½ to 4 in	9.00	8.00	
4 to 5 in		14.00	
4 10 5 111	15.00	14.00	
IQUIDAMBER			
-styraciflua 50 ft. (Sweet Gum) 6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft	$\frac{2.25}{3.00}$	$\frac{2.00}{2.75}$	$\frac{1.15}{2.50}$
	$\frac{3.00}{4.00}$	$\frac{2.15}{3.50}$	
1½ to 2 in.			
2 to 2½ in	5.00	4.50	
2 ½ to 3 in	8.00	7.00	
3 to 3½ in	9.00	8.00	
3 ½ to 4 in	11.00	10.00	
4 to 5 in	18.00	16.00	
5 to 7 in., price on request			
ONICERA			
bella albida 8 ft. (White Bell Ho	neysuck	le)	
2 to 3 ft	.25	.22	.20
3 to 4 ft	.30	.27	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.50	.45	.40
bella rosea 8 ft. (Pink Bell Hone	vsuckle)	)	
2 to 3 ft	.25	.22	.20
3 to 4 ft	.30	.27	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.50	.45	.40
fragrantissima 8 ft. (Winter Hon			. 40
18 to 24 in	.20	.17	.15
2 to 3 ft	.25	.22	.20
3 to 4 ft	.23	.27	.25
1 to 5 ft	.45	.40	.25
4 to 5 ft	.50		.40
5 to 6 ft		.45	.40
halliana 15 ft. (Hall's Japan Hon			10
2 years No. 1 \$100.00 per M	.20	.15	.12
-korolkowi floribunda 10 ft. (Blue 18 to 24 in	leai Ho .35	neysuck .30	.1e) .25
2 to 3 ft	.45	.40	.35
3 to 4 ft	.55	.50	.45
maacki 10 ft. (Amur Honeysuckl	ري. 30 ع	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft.	.45	.40	.35
5 to 6 ft	.60	.50	.40
morrowi 8 ft. (Morrow Honeysue		0.0	1.0
18 to 24 in	.25	.20	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft,	.45	.40	.35

LONICERA—Continued	Each 1-4	Each 5-24	Each 25-up
—morrowi yellow fruited 8 ft.			
18 to 24 in	.25	.20	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
—raticulata aurea 12 ft.			
2 years No. 1	.30	.25	.20
—ruprechtiana 10 ft. (Manchurian		suckle)	• 😂 🗸
- uprecitiana 10 16. (manchurian			.30
2 to 3 ft	.40	.35	
3 to 4 ft	.45	.40	.35
-sempervirens 15 ft. (Scarlet Trun	npet)		
2 years No. 1	.30	.25	.20
	.00	.20	.20
—standishi 5 ft.			
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
		.00	.00
-syringantha 4 ft. (Lilac Honeysuc	kle)		
18 to 24 in	.35	.30	.25
2 to 3 ft	.45	.40	.35
3 to 4 ft	.55	.50	.45
-tatarica alba 10 ft. (White Tatari	an Hoi	nevsuckl	e)
2 to 3 ft	.25	.22	.20
3 to 4 ft.	.30	.27	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.50	.45	.40
—tatarica rose grandiflora 10 ft.			
(Pink Tatarian Honeysuckle)			
	9.5	0.0	20
2 to 3 ft	.25	.22	.20
3 to 4 ft	.30	.27	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.50	.45	.40
—tatarica sibirica 10 ft. (Red Tatar			
—tatarica sibirica 10 1t. (Red Tatar			
2 to 3 ft	.25	.22	.20
3 to 4 ft	.30	.27	.25
4 to 5 ft	.45	.40	.35
-xylosteum 6 ft. (Fly Honeysuckle	)		
18 to 24 in		0.0	0.0
	.25	.22	.20
2 to 3 ft	.30	.27	.25
-zabeli 10 ft. (New Red)			
2 to 3 ft	.25	.22	.20
3 to 4 ft	.30	.27	.25
0 00 4 10	.50	.41	.40
LYCIUM			
	- T7:	`	
-chinese 10 ft. (Chinese Matrimony			
2 to 3 ft	.25	.20	.18
3 to 4 ft	.30	.25	.20
MAGNOLIA			
-acuminata 70 ft. (Cucumber Tree	)		
3 to 4 ft. B&B	1.75	1.50	
4 to 5 ft. B&B	2.25	2.00	
5 to 6 ft. B&B	2.75	2.50	
6 to 8 ft. B&B	4.50	4.00	
$1 \frac{1}{2}$ to 2 in. B&B	8.00	7.00	
2 to $2\frac{1}{2}$ in. B&B	10.00	9.00	
	15.00	13.00	

	Each	Each	Each
MAGNOLIA—Continued	1 - 4	5-24	25-up
—glauca 20 ft. (Sweet Bay)			
4 to 5 ft. B&B	3.50	3.25	3.00
5 to 6 ft. B&B	4.00	$\frac{3.25}{3.75}$	$\frac{3.50}{3.50}$
0 10 0 11. D&D			
6 to 8 ft. B&B	5.50	5.25	5.00
8 to 10 ft. B&B	7.00	6.50	
10 to 12 ft. B&B	10.00	8.00	
-kobus 35 ft. (Kobus Magnolia)	10.00	0.00	
	0.50	0.00	
4 to 5 ft. B&B	3.50	3.00	
5 to 6 ft. B&B	4.50	4.25	4.00
6 to 8 ft. B&B	7.00	6.75	6.00
-lennei 18 ft. (Lenne Magnolia)			0.00
O to A ft DOD	4.00	9.50	
3 to 4 ft. B&B	4.00	3.50	
4 to 5 ft. B&B	5.00	4.50	
5 to 6 ft. B&B	6.50	6.00	
6 to 8 ft. B&B	9.00	8.00	
—soulangeana 18 ft. (Saucer Magne	olio	0.00	
—soulangeana 16 It. (Saucer Magne	ona)	0.75	0.50
2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	3.75	3.50	3.25
4 to 5 ft. B&B	5.00	4.75	4.50
5 to 6 ft. B&B	6.50	6.00	
6 to 8 ft. B&B	9.00	8.50	8.00
8 to 10 ft. B&B	12.00	10.00	
-soulangeana tree form 20 ft.			
3 to 4 ft. B&B	3.75	3.50	
4 to 5 ft. B&B	5.00	4.75	
5 to 6 ft. B&B	6.50	6.25	6.00
6 to 8 ft. B&B	9.00	8.50	8.00
8 to 10 ft. B&B	12.00	11.00	10.00
-soulangeana nigra 18 ft. (Dark F	12.00	11.00	10.00
		0.00	
2 to 3 ft. B&B	3.50	3.00	
3 to 4 ft. B&B	4.00	3.50	
4 to 5 ft. B&B	5.00	4.50	
5 to 6 ft. B&B	6.50	6.00	
0 to 0 tt. D&D	0.00	0.00	
stellata 8 ft. (Star Magnolia) 2 to 3 ft. B&B			
2 to 3 ft. B&B	4.00	3.75	3.50
3 to 4 ft. B&B	6.00	5.00	
4 to 5 ft. B&B	7.50	7.00	
5 to 6 ft. B&B	9.00	8.50	
0 10 0 1t. D&D	9.00	0.00	
-tripetala 30 ft. (Umbrella Magnol	11a)		
4 to 5 ft. B&B	3.50	3.00	
5 to 6 ft. B&B	4.50	4.00	
MALUS			
-arnoldiana 10 ft. (Arnold Crab)			
Semi-double pink flowers, small	l yellov	v fruit	
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
6 to 8 ft	1.75	1.50	
-coronaria 15 ft. (Wild Sweet Cra	b)		
Clustered rose-pink flowers, ye	ellowish	fruit	
3 to 4 ft	.65	.55	.50
4 to 5 ft	.80	.70	.60
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.75	1.50
6 to 8 ft.————————————————————————————————————	erino (	(rah)	
Dana and forman amail and for	nit C	,,,,,	
Rose-red flowers, small red fr	uit	<b>B</b> 0	0.0
3 to 4 ft	.80	.70	.60
4 to .5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
0 40 0 10100000000000000000000000000000			

MALUS—Continued	Each 1-4	Each 5-24	Each 25-up
—floribunda atrosanguinea 20 ft. (	Carmin	e Crab)	
Late flowering, buds and flower	s deep 1	red,	
small, yellow fruit	0.0	7.0	20
3 to 4 ft	.80	.70	$.60 \\ .75$
4 to 5 ft 5 to 6 ft	$\frac{1.00}{1.25}$	$\frac{.85}{1.10}$	1.00
	1.20	1.10	1.00
—floribunda lemoini 15 ft.  Deep pink flowers, yellow fruit	+		
2 to 3 ft	.70	.60	.50
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
—hopa 12 ft. (Red Flowering Crab	)		
Rosy-crimson flowers, round, re			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
—halliana parkmannii (Parkman's	Crab)		
Semi-double rose-pink flowers	1.75	.150	1.25
4 to 5 ft 5 to 6 ft	$\frac{1.15}{2.25}$	2.00	1.75
	2.20	2.00	1.10
—ioensis 20 ft. (Prairie Crab)			
Single pink flowers, greenish-f	1.25	1.15	1.00
5 to 6 ft	$\frac{1.25}{1.50}$	$\frac{1.15}{1.35}$	1.00 $1.25$
6 to 8 ft	$\frac{1.30}{2.00}$	1.75	1,20
—ioensis plena 12 ft. (Bechtel's Ci		1.10	
Double pink flowers, very showy			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.50	1.35	1.25
-niedzwetzkyana 12 ft. (Redvein	Crab)		
Purplish leaves, deep pink flow		ple frui	t
3 to 4 ft	.70	.60	.50
4 to 5 ft.	1.00	.80	.65
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	$\frac{1.75}{2.25}$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\frac{1.25}{1.75}$
8 to 10 ft	2.20	2.00	1.70
—purpurea 20 ft. (Purple Crab)	1 .	*4	
Purple leaves, red flowers, dark 3 to 4 ft		.60	.50
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.25	2.00	1.75
purpurea eleyi 20 ft. (Eley Crab)			
Deep red flowers, large, edible		it	
3 to 4 ft	.70	.60	.50
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft.	2.25	2.00	1.75
10 to 12 ft	3.00	2.75	2.50

MAILUS Cantinuad	Each	Each	Each
MALUS—Continued —sargenti 8 ft. (Sargent Crab)	1-4	5-24	25-up
Sharptoothed leaves, white flowe	rs, dar	k red fr	uit
2 to 3 ft	.90	.80	.70
3 to 4 ft	1.25	1.10	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	1.75	1.65	1.50
-scheideckeri 20 ft. (Scheidecker C	rab)		
Double pink flowers, orange frui			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
-seiboldi 15 ft. (Toringo Crab)	1110	1,00	1,120
Blush pink flowers, yellowish red	fruit		
3 to 4 ft.	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
-spectabilis 15 ft. (Chinese Crab)	1.10	1,00	1.20
Coral-rose flowers, small, yellow	fruit		
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
-theifera 18 ft. (Tea Crab)	1.10	1.00	1.20
Flowers white, tinted pale pink. best of the flowering crabs in cu	ltivatio	n	75
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	$\frac{1.50}{2.00}$	$\frac{1.25}{1.75}$	$\frac{1.00}{1.50}$
5 to 6 ft 6 to 8 ft	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
MAHONIA	2.00	2.20	2.00
—acquifolium 5 ft. (Oregon Hollygra	ano)		
15 to 18 in. B&B	1.15	1.00	.90
18 to 24 in. B&B	1.50	1.35	1.25
24 to 30 in. B&B	$\frac{1.30}{2.25}$	$\frac{1.35}{2.00}$	1.75
30 to 36 in. B&B	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
	2.10	2.50	2.20
MORUS	25 11		
—alba pendula 10 ft. (Tea's Weeping			
6 ft. 1 year head	1.50	1.35	1.25
6 ft. 2 years head	1.75	1.65	1.50
-new american, 40 ft., large fruiting	ig, gra	${f fted}$	
5 to 6 ft	.75	.60	
6 to 8 ft	1.00	.80	
MYRICA			
-carolinensis 5 ft. (Northern Baybe		0.0	0.5
12 to 15 in	.35	.30	.25
15 to 18 in	.45	.40	.35
18 to 24 in	.55	.50	.45
24 to 30 in	.80	.70	.60
30 to 36 in	.90	.80	.70
3 to 4 ft	1.00	.90	.80

MYRICA—Continued	Each 1-4	Each 5-24	Each 25-up
—cerifera 5 ft. (Southern Waxmy		0-24	20-up
12 to 15 in		.30	.25
15 to 18 in		.40	.35
18 to 24 in		.50	.45
24 to 30 in		.70	.60
30 to 36 in		.80	.70
3 to 4 ft		.90	.80
4 to 5 ft		1.15	1.00
NYSSA			
-sylvatica 40 ft. (Tupelo)			
3 to 4 ft		1.75	1.50
4 to 5 ft		2.00	
5 to 6 ft		2.50	
6 to 8 ft		3.50	
8 to 10 ft	6.00		
OXYDENDRON			
-arboreum 30 ft. (Sourwood)	65	.60	.50
		.85	.75
3 to 4 ft		1.15	1.00
4 to 5 ft		$\frac{1.15}{1.75}$	1.50
5 to 6 ft PACHYSANDRA	_ 2.00	1.75	1.50
—terminalis 1 ft. (Japanese Spurg	ro)		
2 years from pots	08	.07	.06
2 years from pots	00	.01	.00
PHILADELPHUS —avalanche 6 ft.			
2 to 3 ft	30	.25	
3 to 4 ft		.40	.35
—banniere 8 ft.			
2 to 3 ft	30	.25	.20
3 to 4 ft		.30	.25
-coronarius 9 ft. (Sweet Scented	Mockora	inge)	
2 to 3 ft		.25	.20
3 to 4 ft	35	.30	.25
4 to 5 ft	40	.35	.30
5 to 6 ft	50	.45	.40
—coronarius aureus 5 ft. (Golden	Mockora	inge)	
12 to 15 in	.30	.25	20
15 to 18 in	40	.35	.30
18 to 24 in	50	.45	.40
-gordonianus 10 ft. (Gordon Mo	ckorange	25	0.0
2 to 3 ft		.25	.20
3 to 4 ft		.30	.25
4 to 5 ft		.35	.30
5 to 6 ft	50	.45	.40
-grandiflorus 12 ft. (Big Scented			0.0
2 to 3 ft		.25	.20
3 to 4 ft		.30	.25
4 to 5 ft		.35	.30
5 to 6 ft	50	.45	.40
6 to 8 ft	60	.55	.50
-lemoinei 5 ft. (Lemoine Mock	orange)		
18 to 24 in	.30	.25	.20
2 to 3 ft	35	.30	.25
3 to 4 ft		.35	.30

PAINESVILLE, OHIO			30
	Each	Each	Each
PHILADELPHUS—Continued	1-4	5-24	25-up
-mt. blanc 10 ft.	0.5	20	10
18 to 24 in	.25	.20	.18
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
-nivalis 7 ft. (Snowbank Mockora			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
—pyramidale 6 ft.			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
-virginal 8 ft. (Double White)			
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
PHOTINIA			
—villosa 12 ft. (Christmasberry)			۰.
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.55	.50	.45
5 to 6 ft	.90	.80	.70
6 to 8 ft	1.00	.90	.80
—laevis 15 ft.			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.55	.50
DIVISOR I DDIV			
PHYSOCARPUS	I_ \		
-monogynus 5 ft. (Dwarf Ninebarl		1.77	1 5
18 to 24 in	.20	.17	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
-opulifolia 10 ft. (Ninebark)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
-opulifolius lutens 10 ft. (Goldleaf	Nineba	rk)	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
—opulifolius nanus 5 ft.			
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
PICEA			
—canadensis 50 ft. (White Spruce)	0.00	1 55	
2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.75	2.50	
4 to 5 ft. B&B	3.50	$\frac{3.25}{4.00}$	
5 to 6 ft. B&B	4.50	4.00	
—canadensis albertiana 60 ft. (Blac			
2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.75	2.50	
4 to 5 ft. B&B	3.50	3.25	
5 to 6 ft. B&B	4.50	<b>4.0</b> 0	

	Each	Each	Each
PICEA—Continued	1-4	5-24	25-up
—excelsa 75 ft. (Norway Spruce)			
18 to 24 in. B&B	1.00	.85	.75
2 to 3 ft. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	2.00	1.75	1.50
		1.10	1.00
—glauca conica 6 ft. (Dwarf Spruc			
18 to 24 in. B&B	2.50	2.00	
2 to 3 ft. B&B	3.50	3.00	
—polita 75 ft. (Tigertail Spruce)	1 = 0	1 0 5	1 00
18 to 24 in. B&B	1.50	1.25	1.00
—pungens 60 ft. (Colorado Spruce			
18 to 24 in. B&B	1.25	1.00	
2 to 3 ft. B&B	1.75	1.50	
3 to 4 ft. B&B	2.50	2.25	
—pungens glauca 60 ft. (Colorado			
18 to 24 in. B&B	1.75	1.50	
2 to 3 ft. B&B	2.25	2.00	
-pungens kosteri 60 ft. (Kosters I	Rlue Sn	ruce)	
	$\frac{2.50}{2.50}$	2.25	2.00
18 to 24 in. B&B			
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	3.75	3.50	3.25
3 to 4 ft. B&B	5.00	4.50	4.00
4 to 5 ft. B&B	7.00	6.50	6.00
5 to 6 ft. B&B	9.00	8.50	8.00
6 to 7 ft. specimen B&B	10.00	9.50	9.00
7 to 8 ft. specimen B&B	15.00	13.00	12.00
A			
8 to 9 ft. specimen B&B	18.00	17.00	16.00
9 to 10 ft. specimen B&B	25.00	22.50	20.00
10 to 11 ft. specimen B&B	30.00	27.50	25.00
11 to 12 ft. specimen B&B	40.00	37.50	35.00
12 to 13 ft. specimen B&B	50.00	47.50	45.00
13 to 14 ft. specimen B&B	65.00	62.50	60.00
—pungens moerheimi 40 ft. (Moerh			
18 to 24 in. B&B	2.75	2.50	2.25
24 to 30 in. B&B	$\frac{2.15}{3.25}$	3.00	2.75
30 to 36 in. B&B	4.00	$\frac{3.50}{1.00}$	3.25
3 to 4 ft. B&B	5.50	5.00	4.50
4 to 5 ft. B&B	7.50	7.00	6.50
5 to 6 ft. B&B	10.00	9.50	9.00
6 to 7 ft. B&B	12.00	11.00	10.00
7 to 8 ft. B&B	15.00	14.00	13.00
8 to 9 ft. B&B	20.00	19.00	18.00
9 to 10 ft. B&B	30.00	27.50	25.00
0 to 10 it. B&B	50.00	21.00	20.00
PIERIS			
-floribunda 3 ft. (Mountain Andro	(abome		
15 to 18 in. B&B	2.25	2.00	1.75
10 to 10 III, D&D			
18 to 24 in. B&B	3.00	2.75	2.50
japonica 4 ft. (Japanese Androm			
12 to 15 in. B&B	1.75	1.50	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
—mariana 5 ft. (Staggerbush)			
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.50	1.25	1.00
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50	2.25	2.00



A large block of Picea p. moerheimi

Surpasses the well known Koster's Blue Spruce in color, symmetrical growth and beauty, and no landscape job is complete without a pair. We have 3000 trees in a block ranging in height from 2 to 15 feet which we desire to clear off in the near future. A surprisingly low price will be quoted, especially on quantity purchases. Write for prices.

PINUS	Each 1-4	Each 5-24	Each 25-up
-densiflora 60 ft. (Japanese Red 1	Pine)		
2 to 3 ft. B&B	1.75	1.50	1.25
3 to 4 ft. B&B	2.50	2.25	2.00
4 to 5 ft. B&B	$\frac{2.75}{3.75}$	3.50	3.00
5 to 6 ft. B&B	4.75	4.50	4.00
o to o it. Debiling	1.10	4.00	*****
-flexilis 30 ft. (Limber Pine)			
2 to 3 ft. B&B	2.00	1.75	1.50
-montana 15 ft. (Swiss Mountain	Pine)		
2 to 3 ft. B&B	2.50	2.25	
3 to 4 ft. B&B	3.25	3.00	
-montana mughus 4 ft. (Dwarf Mo	ountain	Pine)	
9 to 12 in. B&B	1.20	1.10	1.00
12 to 15 in. B&B	1.75	1.50	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	$\frac{2.00}{2.25}$	2.00	$\frac{1.30}{1.75}$
24 to 30 in. B&B	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
24 to 50 m. b&b	2.19	2.50	4.40
-nigra austriaca 60 ft. (Austrian	Pine)		
18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	1.50	1.35	1.25
4 to 5 ft. B&B	3.50	3.00	
5 to 6 ft. B&B	4.75	4.50	4.00
7 to 8 ft. B&B	12.00	11.00	
8 to 10 ft. B&B	14.00	12.00	
10 to 12 ft. B&B	17.00	15.00	
12 to 14 ft. B&B	22.00	20.00	
12 to 14 to. B&B	22.00	20.00	
-resinosa 50 ft. (Red Pine)			
18 to 24 in. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	2.50	2.25	
4 to 5 ft. B&B	4.00	3.50	
5 to 6 ft. B&B	5.00	4.50	

Jo IIII IIIIIII	DIVOIL	12140 001	
2	Each	Each	Each
PINUS—Continued	1-4	5-24	25-up
-strobus 80 ft. (White Pine)			
4 to 5 ft. B&B	3.75	3.50	3.00
5 to 6 ft. B&B	4.75	4.50	4.00
6 to 7 ft. B&B	8.00	7.00	
7 to 8 ft. B&B	10.00	9.00	
8 to 10 ft. B&B	14.00	12.00	
-sylvestris 75 ft. (Scotch Pine)			
18 to 24 in	1.25	1.15	1.00
2 to 3 ft. B&B	1.50	1.35	
3 to 4 ft. B&B	2.50	2.25	
4 to 5 ft. B&B	$\frac{2.50}{3.75}$	3.50	
—thunbergi 65 ft. (Japanese Black		0.00	
2 to 3 ft. B&B	1.75	1.50	1.25
3 to 4 ft. B&B	$\frac{1.75}{2.50}$	$\frac{1.50}{2.25}$	2.00
		$\frac{2.25}{3.50}$	
4 to 5 ft. B&B	3.75		
5 to 6 ft. B&B	4.50	4.00	
6 to 7 ft. B&B	8.00	7.00	
PLATANUS	,		
-occidentalis 75 ft. (American Sy			4 00
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	1.50	1.35	1.25
1 1/4 to 1 1/2 in	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
1 % to 2 in	3.00	2.75	2.50
2 to 2½ in	3.50	3.25	3.00
2½ to 3 in	4.75	4.50	4.25
3 to 3½ in	6.50	6.00	5.50
3½ to 4 in	8.00	7.50	7.00
4 to 5 in	12.00	10.00	
-platanus orientalis 70 ft. (Europe			
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	1.50	1.35	1.25
1 1/4 to 1 1/2 in	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
1 3/4 to 2 in	3.00	2.75	2.50
2 to 2 ½ in	3.50	3.25	3.00
2 ½ to 3 in	4.75	4.50	4.25
3 to 3½ in	6.50	6.00	5.50
3 ½ to 4 in	8.00	7.50	7.00
		10.00	
4 to 5 in POPULUS—bolleana 50 ft. (Silver			
5 to 6 ft		.50	.40
6 to 8 ft	.70	.60	.50
8 to 10 ft	1.00	.85	.75
10 to 12 ft	1.25	1.15	1.00
1½ to 1¾ in	2.00	1.75	1.50
1 3/4 to 2 in	3.00	2.75	2.50
2 to 2 ½ in	4.00	3.75	3.50
2 ½ to 3 in	5.00	4.75	4.50
3 to 3½ in	7.00	6.50	6.00
—nigra italica 75 ft. (Lombardy I		0.5	0.0
6 to 8 ft	.40	.35	.30
8 to 10 ft	.50	.45	.40
10 to 12 ft	.80	.70	.60
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.10	1.00	.90
1 3/4 to 2 in	1.50	1.35	1.25
2 to 2 ½ in	2.25	2.00	1.75
2½ to 3 in	3.00	2.75	2.50

	D 1	77. 1	77 1
POPULUS—Continued	Each	Each 5-24	Each 25-up
-simoni 30 ft. (Simon Poplar)	2-1	0-21	20-up
6 to 8 ft	.80	.70	.60
8 to 10 ft.	1.00	.90	.80
8 to 10 ft 10 to 12 ft	1.25	1.15	1.00
1 ½ to 1 ¾ in	1.75	1.50	1.25
1 ¾ to 2 in	2.25	2.00	1.75
2 to 2 ½ in	$\frac{2.25}{2.75}$	$\frac{2.50}{2.50}$	2.25
2 ½ to 3 in	$\frac{2.10}{3.50}$	$\frac{2.00}{3.25}$	3.00
2 /2 00 0 111	0.00	0.20	0.00
POTENTILLA			
-fruticosa 4 ft. (Shrubby Quinquife	oil)		
12 to 15 in	.20	.18	.15
15 to 18 in	.25	.22	.20
18 to 24 in	.35	.30	.25
2 to 3 ft	.40	.35	.30
-veitchi 2 ft.			
12 to 15 in	.25	.22	.20
15 to 18 in	.35	.30	.25
18 to 24 ft	.40	.35	
10 00 41 10	. 10	.00	
PRUNUS			
-americana 20 ft. (American Plum	1)		
3 to 4 ft	.40	.30	
4 to 5 ft	.50	.40	
-besseyi 7 ft. (Bessey Cherry)			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.60	.50	.50
-cistina 10 ft. (Hansen's Purpleleav			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.70	.60	.50
5 to 6 ft	.90	.80	.70
-cerasifera pissardi 12 ft. (Purplele		Plum)	
3 to 4 ft	.50	.45	.40
4 to 5 ft	.70	.60	.50
5 to 6 ft	.90	.80	.70
—glandulosa sinensis 5 ft.			
(Double Pink Flowering Almond	)		
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
—glandulosa albiplena 5 ft.			
(Double White Flowering Almor	rd) Ov	vn Root	
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
-maritima 12 ft. (Beech Plum)		.00	.00
18 to 24 in	.30	.25	
2 to 3 ft	.40	.35	
-padus 20 ft. (European Bird Cherr	· T U	.00	
	.60	.55	
3 to 4 ft	.70	.65	
4 to 5 ft	1.00	.75	
5 to 6 ft			
6 to 8 ft.	1.25	1.00	
-pennsylvanicum 25 ft. (Pin Cherry	7)	4.0	
4 to 5 ft	.50	.40	m m m m
5 to 6 ft	.70	.60	.50
6 to 8 ft	1.00	.90	.75

	Each	Each	Each
PRUNUS—Continued	1-4	5-24	25-up
—pumila 5 ft. (Sand Cherry)			
18 to 24 in	.30	.25	.20
			.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
-serotina 60 ft. (Black Cherry)			
6 to 8 ft	1.00	.75	
0 to 0 10	1.25	1.00	
8 to 10 ft	1.20	1.00	
-tomentosa 10 ft. (Nanking Cherry	7)		
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50
5 to 6 ft	.75	.70	.60
6 to 8 ft	1.00	.90	.80
-triloba plena 10 ft. (Flowering Plu	m)		
2 to 3 ft	.45	.40	.35
	.50	$.45^{\circ}$	.40
3 to 4 ft.			.40
-virginiana 30 ft. (Common Choke		,	
2 to 3 ft.	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.75	.65	.50
6 to 8 ft	1.00	.90	.80
TDL - f. 11 : :			- :1 - 1-1 -
The following japanese flowering cl	nerries	are av	anabie
in the following grades:			
-amanogawa-semi-double pink			
-amanogawa-semi-double pink	1.00	75	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
-james veitch-double blush pink			
4 to 5 ft.	1.05	1.00	
	1.25	1.00	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.25	
-naden-double pink			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
-seiboldi-double pink			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
-yoshino-blush pink to white			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
2011100111111			
POLYGONUM			
-auberti 25 ft. (Silver Lace Vine)			
2 yrs. No. 1 \$18.00 per 1000	.25	.22	.20
			-
PYRACANTHA			
-coccinea lalandi 6 ft. (Firethorn)			
15 to 18 in. B&B	1.25	1.15	1.00
10 to 10 in. D&D			
18 to 24 in. B&B	1.50	1.35	1.25
24 to 30 in. B&B	2.00	1.75	1.50
30 to 36 in. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	
4 to 5 ft. B&B	5.00	4.50	
			~ - ~ -
5 to 6 ft. B&B	6.50	6.00	

PAINESVILLE, OHIO			41
POPUL OFFICE A	Each	Each	Each
PSEUDOTSUGA	1 - 4	5-24	25-up
-douglasi 75 ft. (Douglas Fir)			
2 to 3 ft. B&B	2.00	1.75	1.50
3 to 4 ft. B&B	2.25	2.00	1.75
4 to 5 ft. B&B	3.50	3.25	3.00
10 to 12 ft. B&B	15.00	14.00	
PTELEA			
-trifoliata 20 ft. (Hoptree)			
3 to 4 ft	.50	.45	.40
4 to 5 ft	.70	.60	.50
5 to 6 ft	.80	.70	.60
QUERCUS			
-alba 65 ft. (White Oak)			
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.75	3.50	3.25
1 1/4 to 1 1/2 in	4.50	4.00	
1½ to 1¾ in	5.25	5.00	
1 \( \) to 2 in	6.50	6.00	
2 to 2½ in	9.00	8.00	
-bicolor 60 ft. (Swamp White Oal	<u>(</u> )		
6 to 8 ft	3.50	3.25	3.00
-coccinea 75 ft. (Scarlet Oak)			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.75	2.50
1 1/4 to 1 1/2 in	3.50	3.25	3.00
1½ to 1¾ in	4.00	3.75	3.50
1 3/4 to 2 in	4.50	4.00	
2 to 2½ in	5.50	5.00	
2½ to 3 in	9.00	8.00	
3 to 3 ½ in	12.00	10.00	
3½ to 4 in	15.00	14.00	
4 to 5 in	22.50	20.00	
—lyrata 70 ft. (Overcup Oak)			
6 to 8 ft	4.00	3.75	3.50
—palustris 70 ft. (Pin Oak)	1 50	1.05	1 05
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	$\frac{2.50}{2.00}$	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
1 \( \) to 2 in	3.50	3.25	3.00
2 to 2½ in	4.00	$\frac{3.75}{4.75}$	3.50
2½ to 3 in	5.00	4.75	4.50
3 to 3½ in	5.50	5.25	5.00
3½ to 4 in	8.00	7.50	7.00
4 to 5 in6, 7 and 8 inch, price on reque	14.00	13.00	12.00
—phellos 45 ft. (Willow Oak)	.50		
6 to 8 ft	2.50	2.00	
4 to 5 in	15.00		
	10.00	~	
—prinus 50 ft. (Chestnut Oak)	0 00		
2½ to 3 in	8.00	-	
-robur 80 ft. (English Oak)	_		
3½ to 4 in	8.00	7.50	
4 to 5 in	15.00	14.00	700 MM NO. 653
6 in, price an request			



Block of Quercus robur	fastigia	ıta	
OHEDCHE Continued	Each	Each	Each
QUERCUS—Continued	1-4 Fredia	5-24 h Ools)	25-up
—robur fastigiata 40 ft. (Pyramidal 2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	$\frac{2.50}{2.50}$	$\frac{1.15}{2.25}$	2.00
4 to 5 ft	$\frac{2.50}{3.50}$	3.25	3.00
5 to 6 ft	4.50	4.25	4.00
6 to 8 ft	6.00	5.50	5.00
8 to 10 ft	10.00	9.00	8.00
10 to 12 ft	12.00	11.00	10.00
—rubra 70 ft. (Red Oak)			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1 1/4 to 1 1/2 in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00
1 % to 2 in	4.50	4.25	4.00
2 to 2 ½ in	5.50	5.25	5.00
2½ to 3 in	8.00	7.50	7.00
3 to 3½ in	10.00	9.00	8.00
3½ to 4 in	12.00	10.00	
4 to 5 in	17.00	15.00	
6, 7 and 8 in., price on request			
—velutina 70 ft. (Black Oak)	0 = 0	0.05	2 00
6 to 8 ft	3.50	3.25	3.00
RETINOSPORA			
-filifera 10 ft. (Thread Branched (	Cypress	)	1 00
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.50	2.25	
4 to 5 ft. B&B	3.50	3.00	
5 to 6 ft. B&B	4.50	4.00	
6 to 7 ft. B&B	5.50	5.00	
—filifera aurea 6 ft. (Golden Threa 12 to 15 in. B&B	1.25		1.00
	$\frac{1.25}{1.75}$	$\frac{1.15}{1.50}$	
15 to 18 in. B&B 18 to 24 in. B&B	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$	
—filifera aurea nova 8 ft. (Variega		ead	
Branched Cypress)	teu Im	eau	
15 to 18 in. B&B	1.50	1.35	
18 to 24 in. B&B	2.00	1.75	
-nootkatensis 65 ft. (Nootka Cypre		1.10	
2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.50	2.25	
4 to 5 ft. B&B	3.50	3.25	
2 VV V IV. DWD	0.00	0.20	

DETINOS DODA Continua	Each	Each	Eacl
RETINOSPORA—Continued	1-4	5-24	25-uj
-obtusa crippsi 8 ft. (Hinoki Cypr		0.5	
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
2 to 3 ft. B&B	2.00	1.75	
-obtusa crippsi aurea 8 ft. (Golden	Hinoki	Cynres	(2
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
2 to 3 ft. B&B			
	2.00	1.75	
-obtusa gracilis 10 ft. (Slender Hir	noki Cy	press)	
18 to 24 in. B&B	1.50	1.35	1.28
2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.75	2.50	
obtusa gracilis aurea 10 ft.			
18 to 24 in, B&B	1.25	1.15	1.0/
			1.00
2 to 3 ft. B&B	2.00	1.75	1.50
3 to 4 ft. B&B	2.75	2.50	
4 to 5 ft. B&B	3.25	3.00	
5 to 6 ft. B&B	4.50	4.00	
–obtusa nana 5 ft.			
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.2
2 to 3 ft. B&B	2.00	1.75	
	2.00	1.10	
-pisifera 25 ft. (Sawara Cypress)			
18 to 24 in. B&B	1.25	1.15	1.0
2 to 3 ft. B&B	1.50	1.25	
4 to 5 ft. B&B	3.25	3.00	
5 to 6 ft. B&B	4.25	4.00	~
6 to 7 ft. B&B	5.50	5.00	
7 to 8 ft. B&B	6.50	6.00	
-pisifera aurea 25 ft. (Golden Saw	zara Cv	nrosel	
18 to 24 in. B&B	1.25	1.15	1.0
2 to 3 ft	1.50	1.25	
3 to 4 ft. B&B	$\frac{1.30}{2.25}$	$\frac{1.23}{2.00}$	
4 to 5 ft. B&B	3.25	3.00	
5 to 6 ft. B&B	4.25	$\frac{4.00}{5.00}$	
6 to 7 ft. B&B	5.50	5.00	
7 to 8 ft. B&B	6.50	6.00	
-plumosa 20 ft. (Plume Cypress)			
15 to 18 in. B&B	1.00	.85	.7
18 to 24 in. B&B	1.25	1.15	1.0
2 to 3 ft	1.50	1.25	
3 to 4 ft. B&B	2.25	2.00	
4 to 5 ft. B&B	3.25	3.00	
5 to 6 ft. B&B	4.25	4.00	
6 to 7 ft. B&B	5.50	5.00	
7 to 8 ft. B&B	6.50	6.00	
The state of the control of the cont			
-plumosa aurea 18 ft. (Golden Plumosa aurea 18 ft.)			.7
15 to 18 in. B&B	1.00	.85	
18 to 24 in. B&B	1.25	1.15	1.0
2 to 3 ft	1.50	1.25	
	2.25	2.00	
3 to 4 ft. B&B		2 00	
3 to 4 ft. B&B 4 to 5 ft. B&B	3.25	3.00	
3 to 4 ft. B&B		$\frac{3.00}{4.00}$	
3 to 4 ft. B&B	3.25		
3 to 4 ft. B&B	$\frac{3.25}{4.25}$	4.00	

	Each	Each	Each
RETINOSPORA—Continued	1-4	5-24	25-up
—plumosa argentea 15 ft. (Silver T	ір Сурі	ess)	
15 to 18 in. B&B	.95	.85	.75
18 to 24 in. B&B	1.25	1.15	1.00
24 to 30 in, B&B	2.00	1.75	1.50
-plumosa sulphurea 20 ft. (Sulphur	Plume	Cypre	ee)
15 to 18 in. B&B	.95	.85	.75
18 to 24 in. B&B	1.25	1.15	1.00
24 to 30 in. B&B	2.00	1.75	1.50
		1.10	1.00
-squarrosa veitchi 20 ft. (Gray Cyp			
15 to 18 in. B&B	1.00	.85	.75
18 to 24 in. B&B	1.25	1.15	1.00
5 to 6 ft. B&B	4.25	4.00	
6 to 7 ft. B&B	5.50	5.00	
7 to 8 ft. B&B	6.50	6.00	
RHAMNUS			
-carolineana 25 ft. (Carolina Buck	thorn)		
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
5 to 6 ft	.50	.45	.40
-cathartica 12 ft. (Buckthorn)			
2 to 3 ft	.25	.22	.18
3 to 4 ft	.30	.27	.25
4 to 5 ft	.40	.35	.30
	.50	.45	.40
5 to 6 ft	.60	.55	.50
6 to 8 ft	.00	.00	.50
—chadwicki 15 ft.			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
-frangula 10 ft. (Glossy Buckthorn	)		
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.55	.50	.45
6 to 8 ft	80	.70	.60
—purshiana 12 ft. (Cascara Bucktho	rn)		
2 to 3 ft	.35	.30	
3 to 4 ft	.40	.35	
		•••	
RHODOTYPOS			
-kerroides 6 ft. (Jetbead)			
18 to 24 in	.35	.30	.25
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
DIVIG			
RHUS			
—canadensis 6 ft. (Fragrant Sumac)	0.0		
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
4 to 5 ft	.70	.60	.50
5 to 6 ft	.80	.70	.60
—copallina 12 ft. (Shining Sumac)			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50

PAINESVILLE, OHIO			45
<b></b>	Each	Each	Each
RHUS—Continued	1-4	5-24	25-up
-cotinus 12 ft. (Purple Fringe)	.50	4 5	
2 to 3 ft 3 to 4 ft	.80	$.45 \\ .70$	
4 to 5 ft	1.10	1.00	
5 to 6 ft.	1.50	1.25	
-cotonoides 15 ft. (American Smo		1.20	
2 to 3 ft	.40	.35	
3 to 4 ft	.60	.50	
4 to 5 ft	.80	.70	
5 to 6 ft	1.00	.85	
6 to 8 ft	1.25	1.15	
-glabra 12 ft. (Smooth Sumac)			
2 to 3 ft	.25	.22	.18
3 to 4 ft	.30	.27	.25
4 to 5 ft	.45	.40	.35
-typhina 15 ft. (Staghorn Sumac)	2 =	0.0	4.0
2 to 3 ft	.25	.22	.18
3 to 4 ft	.30	.27	.25
4 to 5 ft	$.45 \\ .50$	$.40 \\ .45$	.35 .40
5 to 6 ft	.00 Cumae)	.40	.40
3 to 4 ft.	.35	.30	.25
4 to 5 ft	.40	.35	.30
- ** * ********************************	• 40	.00	.00
RHODODENDRON	/ 0	1.	
—carolineanum 5 ft. Nursery Grow	n, (Car	olina	
Rhododendron)	9.00	1 75	1 50
15 to 18 in. B&B 18 to 24 in. B&B	$\frac{2.00}{2.50}$	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	1.50
24 to 30 in. B&B	$\frac{2.50}{3.00}$	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$	$\frac{2.00}{2.50}$
30 to 36 in. B&B	$\frac{3.00}{4.00}$	$\frac{2.15}{3.50}$	$\frac{2.50}{3.25}$
	Carolin		0.20
Rhododendron)	Curonn		
24 to 30 in. B&B	3.50	3.00	
30 to 36 in. B&B	4.50	4.00	
-catawbiense 6 ft. Nursery Grown	, (Cata	wba	
Rhododendron)			
18 to 24 in. B&B	2.25	2.00	
24 to 30 in. B&B	2.75	2.50	
30 to 36 in. B&B	3.00	2.75	
-maximum collected 10 ft. (Roseba			
24 to 30 in. B&B	2.00	1.75	1.50
30 to 36 in. B&B 3 to 4 ft. B&B	$\frac{3.00}{3.50}$	$\frac{2.75}{3.25}$	$\frac{2.50}{3.00}$
—hybrid seedlings, mixed colors 6 f		0.20	5.00
15 to 18 in. B&B	2.50	2.25	2.00
18 to 24 in. B&B	3.00	2.75	
24 to 30 in. B&B	4.00	3.50	
	2000	0,00	
RIBES			
—alpinum 5 ft. (Mountain Currant)		99	20
12 to 15 in	$.25 \\ .35$	$.22 \\ .30$	.20
18 to 24 in	.33	.35	.30
24 to 30 in	.50	.45	.40
30 to 36 in	.55	.50	.45
-aureum 8 ft. (Golden Currant)	.50	,00	
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25

—hispida 9 ft. (Rose Acacia)         18 to 24 in	ROBINIA	Each 1-4	Each 5-24	Each 25-up
18 to 24 in		1-4	3-44	20-up
2 to 3 ft.		3.0	25	20
3 to 4 ft.	2 to 3 ft			
-hispida topgrafted 10 ft.  4 to 5 ft. 2 years heads				.40
## 4 to 5 ft. 2 years heads		.00	.10	
5 to 6 ft. 3 years heads	4 to 5 ft 2 years heads	1 95	1.00	85
—pseudoacacia 55 ft. (Common Locust)         6 to 8 ft.         .70         .60         .50           8 to 10 ft.         1.00         .90         .80           1½ to 1¾ in.         1.50         1.35         1.25           1¾ to 2 in.         2.00         1.75         1.50           —viscosa 10 ft. (Clammy Locust)         18 to 24 in.         .30         .25         .20           2 to 3 ft.         .40         .35         .30         .35         .40           4 to 5 ft.         .60         .55         .50           ROSA           —blanda 5 ft. (Meadow Rose)         18 to 24 in.         .35         .30         .25           2 to 3 ft.         .40         .35         .30         .25           2 to 3 ft.         .35         .30         .25           -nitida 3 ft. (Bristly Rose)         .35         .30         .25           18 to 24 in.         .35         .30         .25           2 to 3 ft.				
6 to 8 ft.			1.20	1.00
8 to 10 ft.       1.00       .90       .80         1½ to 1¾ im.       1.50       1.35       1.25         1¾ to 2 im.       2.00       1.75       1.50         —viscosa 10 ft. (Clammy Locust)         18 to 24 im.       .30       .25       .20         2 to 3 ft.       .40       .35       .30         3 to 4 ft.       .40       .35       .30         4 to 5 ft.       .60       .55       .50         ROSA         —blanda 5 ft. (Meadow Rose)         18 to 24 im.       .35       .30       .25         2 to 3 ft.       .40       .35       .30         —humilis 5 ft. (Pasture Rose)       .35       .30       .25         18 to 24 im.       .35       .30       .25         2 to 3 ft.       .35       .30       .25         —nitida 3 ft. (Bristly Rose)       .35       .30       .25         18 to 24 im.       .35       .30       .25         2 to 3 ft.       .40       .35       .30         —palustris 8 ft. (Swamp Rose)       .35       .30       .25         18 to 24 im.       .35       .30       .25         2			60	50
1½ to 1¾ in	8 to 10 ft			
1¾ to 2 in				
—viscosa 10 ft. (Clammy Locust)       18 to 24 in				
18 to 24 in       .30       .25       .20         2 to 3 ft       .40       .35       .30         3 to 4 ft       .50       .45       .40         4 to 5 ft       .60       .55       .50         ROSA         —blanda 5 ft. (Meadow Rose)         18 to 24 in       .35       .30       .25         2 to 3 ft       .40       .35       .30         —humilis 5 ft. (Pasture Rose)       .40       .35       .30       .25         2 to 3 ft       .40       .35       .30       .25         2 to 3 ft       .40       .35       .30       .25         2 to 3 ft       .35       .30       .25         2 to 3 ft       .35       .30       .25         2 to 3 ft       .40       .35       .30         —palustris 8 ft. (Swamp Rose)       .35       .30       .25         18 to 24 in       .35       .30       .25         2 to 3 ft       .40       .35       .30         —rubrifolia 6 ft. (Redleaf Rose)       .35       .30       .25         18 to 24 in       .35       .30       .25         —ru			1110	2.00
2 to 3 ft		3.0	25	20
3 to 4 ft				30
ROSA  —blanda 5 ft. (Meadow Rose)  18 to 24 in				
## ROSA    Sto 24 in				
—blanda 5 ft. (Meadow Rose)  18 to 24 in	1 00 0 10	.00	.00	.00
18 to 24 in.       .35       .30       .25         2 to 3 ft.       .40       .35       .30         —humilis 5 ft. (Pasture Rose)       .35       .30       .25         2 to 3 ft.       .40       .35       .30         —lucida 5 ft. (Virginia Rose)       .30       .25       .20         18 to 24 in.       .35       .30       .25         2 to 3 ft.       .40       .35       .30         —palustris 8 ft. (Swamp Rose)       .35       .30       .25         2 to 3 ft.       .40       .35       .30         —rubiginosa 6 ft. (Sweetbriar Rose)       .35       .30       .25         2 to 3 ft.       .35       .30       .25         2 to 3 ft.       .35       .30       .25         2 to 3 ft.       .35       .30       .25         —rubrifolia 6 ft. (Redleaf Rose)       .35       .30       .25         18 to 24 in.       .35       .30       .25         2 to 3 ft.       .30       .25       .20         2 to 3 ft.       .30       .25       .20         2 to 3 ft.       .30       .25         —spinosissima altaica 4 ft. (Altai Rose)       .35       .30	ROSA			
2 to 3 ft	-blanda 5 ft. (Meadow Rose)			
2 to 3 ft	18 to 24 in	.35	.30	.25
18 to 24 in		.40	.35	.30
18 to 24 in	—humilis 5 ft. (Pasture Rose)			
2 to 3 ft		.35	.30	.25
18 to 24 in		.40	.35	.30
18 to 24 in	—lucida 5 ft (Virginia Rose)			
2 to 3 ft		.30	.25	.20
—nitida 3 ft. (Bristly Rose)       35 30 .25         2 to 3 ft				
18 to 24 in				
2 to 3 ft		35	3.0	25
—palustris 8 ft. (Swamp Rose)       35       30       .25         2 to 3 ft.       .40       .35       .30         —rubiginosa 6 ft. (Sweetbriar Rose)       .30       .25       .20         2 to 3 ft.       .35       .30       .25         —rubrifolia 6 ft. (Redleaf Rose)       .35       .30       .25         —rubrifolia 6 ft. (Prairie Rose)       .40       .35       .30         2 to 3 ft.       .40       .35       .30         —setigera 6 ft. (Prairie Rose)       .35       .30       .25         2 to 3 ft.       .35       .30       .25         —spinosissima altaica 4 ft. (Altai Rose)       .25         —spinosissima altaica 4 ft. (Altai Rose)       .35       .30         18 to 24 in.       .35       .30       .25         ROSES         Hybrid tea, two years No. 1, Painesville grown         Ami Quinard. Dark Red       .40       .35       .30         A. R. Barracklough. Glowing pink       .40       .35       .30         A. R. Barracklough. Glowing pink       .40       .35       .30         Betty Uprichard. Copper red,       .40       .35       .30				
18 to 24 in				.00
2 to 3 ft		25	3.0	25
-rubiginosa 6 ft. (Sweetbriar Rose)  18 to 24 in	2 to 3 ft			
18 to 24 in	Living C ft (Cyroothyian Dago		.00	.00
2 to 3 ft	—rubiginosa 6 It. (Sweetbriar Rose	)	0.5	20
-rubrifolia 6 ft. (Redleaf Rose)  18 to 24 in				
18 to 24 in		.50	.50	.20
2 to 3 ft		9.5	2.0	0.5
setigera 6 ft. (Prairie Rose)  18 to 24 in				
18 to 24 in		.40	.50	.50
2 to 3 ft		0.0	0.5	0.0
—spinosissima altaica 4 ft. (Altai Rose)  18 to 24 in				
ROSES  Hybrid tea, two years No. 1, Painesville grown Ami Quinard. Dark Red			.30	.25
ROSES         Hybrid tea, two years No. 1, Painesville grown         Ami Quinard. Dark Red			0.0	0.11
Hybrid tea, two years No. 1, Painesville grown         Ami Quinard. Dark Red	18 to 24 in	.35	.30	.25
Hybrid tea, two years No. 1, Painesville grown         Ami Quinard. Dark Red	DOCEC			
Autumn. Orange red       .40       .35       .30         A. R. Barracklough. Glowing pink       .40       .35       .30         Betty Uprichard. Copper red,       .40       .35       .30         buds, opening salmon pink       .40       .35       .30				
Autumn. Orange red       .40       .35       .30         A. R. Barracklough. Glowing pink       .40       .35       .30         Betty Uprichard. Copper red,       .40       .35       .30         buds, opening salmon pink       .40       .35       .30	Hybrid tea, two years No. 1, Painesvi	lle grov	٧n	
Autumn. Orange red       .40       .35       .30         A. R. Barracklough. Glowing pink       .40       .35       .30         Betty Uprichard. Copper red,       .40       .35       .30         buds, opening salmon pink       .40       .35       .30	Ami Quinard. Dark Red	$.\overline{4}0$	.35	
Betty Uprichard. Copper red, buds, opening salmon pink40 .35 .30	Autumn. Orange red	.40	.35	
buds, opening salmon pink40 .35 .30		.40	.35	.30
		4.0	0.5	0.5
Briarchit. Columbia pink40 .35 .30				
	Briarchitt. Columbia pink	.40	.35	.30

POSES Continued	Each	Each	Each
ROSES—Continued	1-4	5-24	25-up
Charles K. Douglas. Semi-double	4.0	0 =	0.0
bright red	.40	.35	.30
Columbia. Vivid pink, long stem	.40	.35	.30
Condesso de Sastago. Copper-pink Dame Edith Helen. Bright pink,	.40	.35	.30
long stems	.40	.35	.30
Duchess of Wellington. Saffron yellow buds, opening light yel-			
low	.40	.35	.30
Earl Haig. Cherry crimson	.40	.35	.30
Edel. WhiteE. G. Hill. Deep maroon, velvety	.40	.35	.30
center	.40	.35	.30
Etoile de France. Dark crimson_	.40	.35	.30
Etoile de Holland. Dark red	.40	.35	.30
Frances Scott Key. Bright red Frau Karl Druschki. Large waxy	.40	.35	.30
white	.40	.35	.30
Golden Gleam. Golden yellow Golden Dawn. Copper yellow,	.40	.35	.30
opening to lemon yellow Gruss an Teplitz. Velvety crim-	.40	.35	.30
son, free bloomer, blossoms			
semidouble Independence Day. Brownish or-	.40	.35	.30
ange, opening to apricot yellow J. J. L. Mock. Bright pink, rolling	.40	.35	.30
silvery edge	.40	.35	.30
opening to Indian yellow John Russell. Rich crimson scar-	.40	.35	.30
let	.40	.35	.30
K. A. Victoria. Pure white	.40	.35	.30
Miss Lolita Armour. Coppery pink	.40	.35	.30
Luxembourg. Rich, golden yellow	.40	.35	.30
Marcia Stanhope. Fragrant white	.40	.35	.30
Margaret McGredy. Brilliant red			
petals, gold at base	.40	.35	.30
Mme. Jules Goujard. Orange red	.40	.35	.30
Laurent Carle. Velvety carmine_ Mevrouw G. A. Van Rossen. Or-	.40	.35	.30
ange buds, opening to coppery	4.0	0.5	0.0
yellow	.40	.35	.30
McGredy Scarlet. Velvety scarlet Mrs. E. P. Thom. Long buds,	.40	.35	.30
opening to lemon yellow Mrs. Lovell Swisher. Pale flesh	.40	.35	.30
mrs. P. S. Dupont. Deep golden	.40	.35	.30
yellowPres. Herbert Hoover. Maroon,	.40	.35	.30
blending to orange and gold	.40	.35	.30
Red Radiance. RedRev. F. Page Roberts. Golden yel-	.40	.35	.30
low, stained with copper	.40	.35	.30
Souv. de Claudius Pernet. Clear yellow	.40	.35	.30

	Each	Each	Each
ROSES—Continued	1-4	5-24	25-up
Souv. de Georges Pernet. Orient-			
al red	.40	.35	.30
Sunkist. Brownish orange	.40	.35	.30
Talisman. Orange buds, opening	4.0	0.5	0.0
to golden yellow	.40	.35	.30
Wilhelm Kordes. Vivid salmon	.40	.35	.30
pink, shaded orange Willowmere. Pink, shaded yellow	.40	.35	.30
willowmere. Fink, shaded yellow	.40	.00	.50
DAMBIEDC LCIIMD	INIC	DOCE	C
RAMBLERS and CLIMB	ING	KOSE	2
No. 1 Grade American Pillar. Carmine rose,			
cream center	.40	.35	.30
Blue Rambler. Blue	.40	.35	.30
Chaplin Pink. Double, rich pink-	.40	.35	.30
Clmg. American Beauty. Car-	. 10	.00	.00
mine red	.40	.35	.30
Crimson Rambler. Deep crimson	.40	.35	.30
Dorothy Perkins. Shell pink	.40	.35	.30
Dr. Van Fleet. Flesh white	.40	.35	.30
Flower of Fairfield. Dark red	.40	.35	.30
Gardenia. Creamy yellow	.40	.35	.30
Mad. G. Staechelin. Pearl pink	.40	.35	.30
Marie Gouchalt. Brilliant red	.40	.35	.30
Marie Wallace. Rose pink	.40	.35	.30
Paul's Scarlet. Scarlet to crimson	.40	.35	.30
Primrose. Yellow	.40	.35	.30
Scorcher. Vermilion, everbloom-	.40	.35	20
ingSilver Moon. White with cluster	.40	.55	.30
of yellow stamens	.40	.35	.30
Star of Persia. Bright yellow	.40	.35	.30
Star of Tersia. Bright your year	. 10	.00	.00
DUCOCA LUV	DDID	C	
RUGOSA and HY	BKID	2	
No. 1 Grade			
Agnes. New yellow	.40	.35	.30
Chas. F. Worth. Crimson carmine	.40	.35	.30
Conrad F. Meyer. Silvery pink	.40	.35	.30
Grootendorst. Pink	.40	.35	.30
F. J. Grotendorst. Deep red	.40	.35	.30
John Ruskin. Brilliant red	.40	.35	.30
Rugosa Alba. Pure white	.40	.35	.30
Rugosa Rubra. Rose red	.40	.35	.30
SALIX			
—babylonica 50 ft. (Babylon Weepin		ow)	
6 to 8 ft	.80	.70	.60
8 to 10 ft	1.00	.90	.80
1 ½ to 1 ½ in	1.50	1.35	1.25
1 ½ to 1 ¾ in	1.75	1.65	$\frac{1.50}{1.75}$
1 ¾ to 2 in 2 to 2 ½ in	$\frac{2.25}{2.50}$	$\frac{2.00}{2.25}$	$\frac{1.75}{2.00}$
2 ½ to 3 in.	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$	3.00
2 /2 00 0 III.	5.00	0.40	0.00

CATTY C	Each	Each	Each
SALIX—Continued	1-4	5-24	25-up
-blanda 40 ft. (Wisconsin Weeping			
6 to 8 ft.	.80	.70	.60
8 to 10 ft	1.00	.90	.80
1 1/4 to 1 1/2 in	$\frac{1.50}{1.75}$	$\frac{1.35}{1.65}$	$\frac{1.25}{1.50}$
1½ to 1¾ in 1¾ to 2 in	$\frac{1.75}{2.25}$	$\frac{1.65}{2.00}$	
2 to 2 ½ in	$\frac{2.25}{2.50}$	$\frac{2.00}{2.25}$	$\frac{1.75}{2.00}$
$2\frac{1}{2}$ to 3 in	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$	$\frac{2.00}{3.00}$
	5.50	0.20	5.00
—caprea 20 ft. (Goat Willow)	4 =	4.0	0 =
4 to 5 ft.	.45	.40	.35
5 to 6 ft	.60	.50	.45
—discolor 18 ft. (Pussy Willow)	٠, ٣		
3 to 4 ft	.35	.30	.25
4 to 5 ft.	.45	.40	.35
5 to 6 ft	.60	.50	.45
6 to 8 ft	.70	.60	.50
8 to 10 ft	1.00	.90	.80
-elegantissima 60 ft. (Thurlow Wi			
6 to 8 ft	.80	.70	.60
8 to 10 ft	1.00	.90	.80
1 1/4 to 1 1/2 in	1.50	1.35	1.25
1½ to 1¾ in	1.75	1.65	1.50
1 3/4 to 2 in	2.25	2.00	1.75
2 to 2½ in	2.50	2.25	2.00
2½ to 3 in	3.50	3.25	3.00
3 to 3½ in	4.50	4.00	
-incana 20 ft. (Rosemary Willow)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.35	.30
4 to 5 ft	.60	.50	.40
nigra 12 ft. (Black Willow)			
3 to 4 ft	.40	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.70	.60	.50
-niobe 30 ft. (Golden Weeping Will			
6 to 8 ft	.80	.70	.60
8 to 10 ft	1.00	.90	.80
1 1/4 to 1 1/2 in	1.50	1.35	1.25
1½ to 1¾ in	1.75	1.60	1.50
1 % to 2 in	2.25	2.00	1.75
2 to 2½ in	2.50	2.25	2.00
2 ½ to 3 in	3.50	$\frac{3.25}{4.00}$	
3 to 3½ in	4.50	4.00	
—pentandra 25 ft. (Laurelleaved W.		0.0	F0
5 to 6 ft	.70	.60	.50 .60
6 to 8 ft	$\frac{.80}{1.00}$	$.70 \\ .90$	.80
8 to 10 ft	1.50	$\frac{.90}{1.35}$	1.25
10 to 12 ft	1.00	1.55	1.20
—pentandra tree form 6 to 8 ft	1.00	.90	.80
8 to 10 ft	$1.00 \\ 1.25$	1.00	.90
10 to 12 ft	$\frac{1.25}{2.00}$	1.75	1.50
1 % to 2 in	2.25	2.00	1.75
2 to 2 ½ in	2.50	2.25	
2 ½ to 3 in	4.00	3.50	
- /# VV V			

SALIX—Continued	Each 1-4	Each 5-24	Each 25-up
—vitellina 30 ft. (Golden Willow)	1 - 4	5-24	zə-up
6 to 8 ft	.80	.70	.60
8 to 10 ft	1.00	.90	.80
1 ½ to 1 ½ in	1.50	1.35	1.25
1 ½ to 1 ¼ in	1.75	1.65	1.50
1 % to 2 in	2.25	2.00	1.75
AMBUCUS		2,00	
-canadensis 10 ft. (American Elde:	r)		
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
-canadensis acutiloba 10 ft. (Cutle	af Elde	er)	
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
-nigra 15 ft. (European Elder)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
nigra aurea 15 ft. (Golden Europe			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.60	.55	.45
pubens 8 ft. (Scarlet Elder)			
2 to 3 ft	.35	.30	
3 to 4 ft	.40	.35	
ASSAFRAS			
-variifolium 50 ft. (Sassafras)	9.00	1 50	
6 to 8 ft 8 to 10 ft	$\frac{2.00}{2.50}$	$\frac{1.50}{2.00}$	
8 to 10 1t	2.50	2.00	
OPHORA			
-japonica 20 ft. (Chinese Scholart		20	- ~
18 to 24 in	.70	.60	.50
3 to 4 ft	1.25		
ORBARIA			
-aitchisoni 7 ft. (Kashmir False S	pirea)		
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
5 to 6 ft	.70	.60	.55
-sorbifolia 5 ft. (Ural False Spirea	ι)		
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
ORBUS			
-aucuparia 30 ft. (European Moun	tain Ac	h)	
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft	$\frac{1.25}{1.75}$	$\frac{1.15}{1.50}$	$1.00 \\ 1.25$
1 1/4 to 1 1/2 in	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$	$\frac{1.25}{1.75}$
1 ½ to 1 ¾ in	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
1 ½ to 1 ¼ m	$\frac{2.15}{3.25}$	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$
2 to 2 ½ in	4.00	3.75	2.10
_ /2 _ /2	_,00	0.10	

CDIDEA	Each	Each	Each
SPIREA	1 - 4	5-24	25-up
-anthony waterer 3 ft. (Dwarf Pink	c Spirea	a)	
12 to 15 in	.25	.20	.15
15 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
24 to 30 in.	.40	.35	.30
24 (0 50 111.	.40	.50	.50
-arguta 7 ft. (Garland Spirea)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.40	.35	.30
-billardi 5 ft. (Pink Flowering Spin	roa)	.00	.00
	90	0.5	0.0
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
-collosa alba 2 1/2 ft. (White Japane		rea)	
12 to 15 in	.25	.20	.15
15 to 18 in	.30	.25	.20
-douglasi 6 ft. (Red Flowering)	.00	120	120
	.25	.22	10
2 to 3 ft			.18
3 to 4 ft	.35	.30	.25
-froebeli 4 ft. (Dwarf Pink)			
15 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
24 to 30 in	.35	.30	.25
	.40	.35	.30
30 to 36 in			
3 to 4 ft	.45	.40	.35
—prunifolia plena 10 ft. (Double B	ridal W	/reath)	
18 to 24 in	.25	.18	.16
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
	.55	.50	.45
4 to 5 ft		.50	.40
-salicifolia 5 ft. (Willowleaf Spirea			
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
-thunbergi 5 ft. (White Flowering	Spirea	)	
18 to 24 in	.25	.20	.15
		.25	.20
2 to 3 ft	.30		
3 to 4 ft	.35	.30	.25
-trichocarpa 5 ft. (Korean Spirea)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
-vanhoutti 10 ft. (Single White F)			
2 to 3 ft	.20	.18	.15
3 to 4 ft	.25	.22	.18
4 to 5 ft	.30	.25	.20
—wallufi 3 ft.			
15 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
	.00	.00	.=0
STEPHANANDRA			
-flexuosa 6 ft. (Creamy White)			
18 to 24 in	.25	.20	.18
2 to 3 ft	.35	.30	.25
		.00	
3 to 4 ft	.40	.35	.30
SYMPHORICARPOS			
—mollis 6 ft. (Spreading Snowberr	77.)		
-moins o It. (opreading Showberr	y)	10	1.5
18 to 24 in	.20	.18	.15
2 to 3 ft	.25	.20	.18
3 to 4 ft	.35	.30	.25

SYMPHORICARPOS—Continued	Each 1-4	Each 5-24	Each 25-up
—racemosus 6 ft. (White Snowberry		9-24	25-up
18 to 24 in	.20	.18	.15
2 to 3 ft	.25	.20	.18
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
-vulgaris 4 ft. (Coralberry)			
18 to 24 in	.20	.18	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
-vulgaris chenaulti 6 ft. (Improved			. ~
18 to 24 in	.20	.18	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
SYRINGA			
—chinensis syn. rothomagensis 10 f	t. (Chii .35	$_{.30}^{ m hese~Lib}$	ac) .25
	.45	.40	.25 .35
3 to 4 ft 4 to 5 ft	.60	.50	
		.90	
—japonica 20 ft. (Japanese Tree Li 2 to 3 ft.	.40	.35	.30
3 to 4 ft	.45	.40	
4 to 5 ft	.70	.60	
5 to 6 ft	.90	.80	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.75	
-josikaea 10 ft. (Hungarian Lilac)			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.60	.55	.50
5 to 6 ft	.80	.70	.60
6 to 8 ft	1.00	.85	.75
—persica 10 ft. (Persian Lilacs)	0.5	9.0	0.5
2 to 3 ft	.35	.30	.25
3 to 4 ft	$.40 \\ .70$	.35	.30
4 to 5 ft	1.00	$.60 \\ .90$	.50 .80
pekinensis 15 ft. (Peking Lilac)	1.00	.00	.00
2 to 3 ft.	.60	.50	.40
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
-villosa 8 ft. (Late Lilac)			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.55	.50
—vulgaris alba 12 ft. (Common Wh	ite Lila	ac)	
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
		2.00	
5 to 6 ft. spec6 to 8 ft. spec	$\frac{2.25}{3.00}$	$\frac{2.00}{2.75}$	

	Each	Each	Each
SYRINGA—Continued	1-4	5-24	25-up
-vulgaris 12 ft. (Common Purple I			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.60	.55	.50
4 to 5 ft. spec. clumps	1.00	.90	.80
5 to 6 ft. spec. clumps	2.25	2.00	1.75
6 to 7 ft. spec. clumps	3.00	2.75	2.50
7 to 8 ft. spec. clumps	3.50	3.25	3.00
8 to 9 ft. spec. clumps	4.50	4.25	4.00
9 to 10 ft. spec. clumps	5.50	5.25	5.00
—vulgaris hybrids 10 ft. following			
	nameu	varietie	5.
Belle de Nancy-Double rose			
Chas. Joly—purplish red			
Frau B. Dammann—single whit	e		
J. Calot—rosy pink			
La tour d'Auvergne—double pr	urple		
Marie LeGrayee—single white			
Mad. Lemoini-double white			
Mad. A. Chatenay-double whit	e		
Mad. Casimir Perier-double cr		hite	
Mad. Felix Dykhuis—double wh	ito "	11100	
Pres. Grevy—double blue	1100		
Same de La Jania Sameth single	Low a		
Souv. de Ludwig Spaeth—singl	e rea		
Viviand Morel—double lilac	0.0		<b>F</b> 0
2 to 3 ft	.60	.55	.50
3 to 4 ft	.70	.65	.60
4 to 5 ft	1.25	1.15	1.00
5 to 6 ft	1.75	1.50	1.25
	$.25 \\ .30$	$.20 \\ .25$	.18
5 to 6 ft	Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75	.30 .40 lowers) .25 .30 ers) .25 .30	.22 .25 .35 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50	.30 .40 lowers) .25 .30 ers) .25 .30	.25 .35 .20 .25 .20
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75	.30 .40 lowers) .25 .30 ers) .25 .30	.25 .35 .20 .25 .20
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50	.30 .40 lowers) .25 .30 ers) .25 .30	.25 .35 .20 .25 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50	.30 .40 lowers) .25 .30 ers) .25 .30	.25 .35 .20 .25 .20
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 cypress 2.00 2.75 3.50 5.00	.30 .40 dowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50	.25 .35 .20 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00	.30 .40 dowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50	.25 .35 .20 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00	.30 .40 dowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50	.25 .35 .20 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00	.30 .40 lowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50 1.75 2.25 lish Yev	.25 .35 .20 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 2.00 2.75 3.50 5.00 2.50 ag Eng 1.75	.30 .40 lowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50 1.75 2.25 lish Yev 1.50	.25 .35 .20 .25 .25 .25 .25 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00 2.50 ag Eng 1.75 2.00	.30 .40 lowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50 1.75 2.25 lish Yew 1.50 1.75	.25 .35 .20 .25 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00 2.50 2.50 2.50	.30 .40 lowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50 1.75 2.25 lish Yev 1.50 1.75 2.25	.25 .35 .20 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00 2.50 ag Eng 1.75 2.00 2.50 3.00	.30 .40 lowers) .25 .30 ers) .25 .30 1.75 2.50 3.25 4.50 1.75 2.25 lish Yev 1.50 1.75 2.25 2.25	.25 .35 .20 .25 .25 .20 .25
5 to 6 ft	.45 Pink F .30 .35 k Flow .30 .35 Cypress 2.00 2.75 3.50 5.00 2.50 2.50 2.50	.30 .40 lowers) .25 .30 ers) .25 .30 ) 1.75 2.50 3.25 4.50 1.75 2.25 lish Yev 1.50 1.75 2.25	.25 .35 .20 .25 .25 .20 .25

TAXUS—Continued	Each 1-4	Each 5-24	Each
baccata washingtoni aurea 8 ft.	1-4	0-44	25-up
(Golden Washington Yew)			
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
18 to 24 in. b&b	$\frac{2.50}{3.00}$	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$	$\frac{2.00}{2.50}$
24 to 30 in. B&B			
30 to 36 in. B&B	$\frac{4.00}{7.00}$	3.75	3.50
3 to 4 ft. B&B	7.00	6.50	
—canadensis 2½ ft. (Canadian Yew	")	1 1 5	1 00
12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.50	1.35	1.25
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50	2.25	2.00
-cuspidata 6 ft. (Japanese Spreadi			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.25	3.00	2.75
30 to 36 in. B&B	4.50	4.00	
-cuspidata capitata 12 ft. (Upright	Japane	ese Yew)	
15 to 18 in. B&B	1.75	1.50	1.35
18 to 24 in. B&B	2.25	2.00	1.75
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	3.25	3.00	
3 to 4 ft. B&B	5.50	5.00	
4 to 5 ft. B&B	7.50	7.00	
	10.00	9.00	
—cuspidata intermedia 6 ft.	10.00	0.00	
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	$\frac{1.30}{2.25}$	$\frac{1.33}{2.00}$	$\frac{1.25}{1.75}$
18 to 24 in. B&B	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
cuspidata Kallay's Vase-shaped	2.75	2.50	2.25
cuspidata Kallay's vase-shaped	1 50	1.05	1.05
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	2.75	2.50	2.25
—cuspidata nana 3 ft. (Compact Jap	oanese	Yew)	
12 to 15 in. B&B	1.75	1.50	
15 to 18 in. B&B	2.25	$2.00_{-}$	
-cuspidata nana breviola 6 ft. (Dwa			ew)
9 to 12 in. B&B	1.50	1.35	1.25
12 to 15 in. B&B	1.75	1.65	1.50
15 to 18 in. B&B	2.50	2.25	2.00
18 to 24 in. B&B	3.00	2.75	
24 to 30 in. B&B	4.00	3.50	
-cuspidata nigro			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in B&B	2.75	2.50	2.25
—media andersoni 8 ft. (Anderson	Yew)		
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$
24 to 30 in. B&B	$\frac{2.75}{3.25}$	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$
modia huavani 6 ft (Dagawala V)	5.49	5.00	4.10
—media browni 6 ft. (Brown's Yew)	1 50	1 25	1 05
12 to 15 in. B&B	$\frac{1.50}{2.05}$	1.35	1.25
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	2.75	2.50	2.25
24 to 30 in. B&B	3.25	3.00	2.75
30 to 36 in. B&B	5.00	4.75	4.50

	Each	Each	Each
TAXUS—Continued	1-4	5-24	25-up
-media hatfieldi 8 ft. (Hatfield's Ye			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	$\frac{1.50}{2.25}$	$\frac{1.35}{2.00}$	1.75
18 to 24 in. B&B	$\frac{2.25}{2.75}$	$\frac{2.50}{2.50}$	$\frac{1.75}{2.25}$
24 to 30 in. B&B	$\frac{2.75}{3.25}$	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$
	0.40	5.00	2.10
-media hicksi 10 ft. (Hicks Yew)			
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.25	2.00	1.75
24 to 30 in. B&B	2.75	2.50	2.25
30 to 36 in. B&B	3.75	3.50	3.25
3 to 3½ ft. B&B	4.50	4.25	
3½ to 4 ft. B&B	6.50	6.00	
4 to 5 ft, B&B	10.00	9.00	
5 to 6 ft. B&B	12.00		
-media wellesleyana			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	2.75	2.50	2.25
THUYA			
-occidentalis 40 ft. (American Arb	orvita	e)	
18 to 24 in. B&B	1.00	.90	.80
2 to 3 ft. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	1.75	1.50	
5 to 6 ft. B&B	3.50	3.00	
6 to 7 ft. B&B	4.00	3.75	3.50
7 to 8 ft. B&B	4.50	4.25	4.00
8 to 9 ft. B&B	5.00	4.75	4.50
9 to 10 ft. B&B	7.00	6.50	6.00
10 to 12 ft. B&B	8.00	7.50	7.00
	11.00	10.00	
-occ. columbia 40 ft. (Silver Tip An			
18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	$\frac{1.25}{1.50}$	$\frac{1.15}{1.25}$	1.00
	$\frac{1.50}{3.25}$	$\frac{1.25}{3.00}$	
5 to 6 ft. B&B			
-occ. compacta 4 ft. (Parson's Arb			
12 to 15 in. B&B	1.00	.85	.75
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
-occ. douglasi aurea 15 ft. (Douglas		en Arbor	vitae)
18 to 24 in. B&B	1.25	1.15	1.00
3 to 4 ft. B&B	2.25	2.00	1.75
4 to 5 ft. B&B	2.75	2.50	2.25
5 to 6 ft. B&B	4.00	3.50	
6 to 7 ft. B&B	4.50	4.00	
7 to 8 ft. B&B	5.50	5.00	
-occ. elegantissima 15 ft. (Golden 7	Tin Ar	horvitae)	
18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	1.50	1.35	1.25
3 to 4 ft. B&B	2.25	2.00	1.75
5 to 6 ft. B&B	4.00	3.50	3.00
6 to 7 ft. B&B	4.50	4.25	4.00
7 to 8 ft. B&B	5.50	5.25	5.00
8 to 9 ft. B&B	7.00	6.50	6.00
9 to 10 ft. B&B	8.00	7.50	7.00
0 to 10 1t, D&D	0.00	1.50	1.00

56	THE KALLAY	BRUTE	TERS CON	MPANI
THUYA—Conti	nued	Each 1-4	Each 5-24	Each 25-up
—occ. elvangeri	ana 6 ft. (Tom Thur	nb Art	orvitae)	)
24 to 30 in	. B&B	1.50	1.35	1.25
	. B&B	1.75	1.65	1.50
	B&B	2.50	2.25	2.00
	ft. (Globe Arborvit	ae)		
	. B&B	1.00	.85	.75
	. В&В	1.25	1.15	1.00
18 to 24 in	. B&B	1.50	1.35	1.25
-occ. hoveyi 6	ft. (Hovey's Golden	Arbor	vitae)	
12 to 15 in	. В&В	1.00	.85	.75
15 to 18 in	. B&B	1.25	1.15	1.00
18 to 24 in	. B&B	1.50	1.35	1.25
-occ. lutea 15	ft. (Geo. Peabody A	rborvi	tae)	
18 to 24 in	. В&В	1.25	1.15	1.00
	8&B	1.50	1.35	1.25
–occ. pyramida	lis 25 ft. (Pyramidal	Arboi	rvitae)	
	. B&B	1.00	.90	.85
2 to $2\frac{1}{2}$ ft	. B&B	1.35	1.20	1.10
$2\frac{1}{2}$ to 3 ft	. B&B	1.50	1.35	1.25
3 to 4 ft. H	8&B	2.25	2.00	1.75
4 to 5 ft. H	3&B	3.25	3.00	2.75
-occ. rosenthal	i 10 ft. (Rosenthal	Arborv	itae)	
18 to 24 in	. B&B	1.15	1.00	.90
$2 \text{ to } 2\frac{1}{2} \text{ ft}$	. B&B	1.50	1.35	1.25
	. B&B	2.00	1.75	1.50
	8&B	2.50	2.25	2.00
	. (Red Arborvitae) . B&B	1.50	1.25	
	. В&В	$\frac{1.50}{1.75}$	$\frac{1.25}{1.50}$	
-occ spiralis 2	5 ft. (Spiral Arbory	itae)	1.00	
2 to 3 ft. F	8&B	1.50	1.35	1.25
3 to 4 ft. H	8&B	2.00	1.75	
7 to 8 ft. I	3&B	6.00	5.50	
occ. Vervaene	ana 12 ft.			
2 to 3 ft. H	8&B	1.50	1.35	1.25
6 to 7 ft. I	8&B	4.50	4.25	
	ana aurea 12 ft.			
	. B&B	1.25	1.15	1.00
2 to 3 ft. I	8&B	1.50	1.35	1.25
-occ. wareana	15 ft. (Siberian Arb. B&B	orvitae	e)	1 00
15 to 18 in	. B&B	1.25	1.15	1.00
18 to 24 in	. B&B	1.50	1.35	1.25
2 to 2 ½ 1t	. B&B . B&B	$\frac{2.00}{2.50}$	$\substack{1.75 \\ 2.25}$	1.50
4 72 10 5 10	: 2 ft (Woodward (	2.50	Z.Z0 I nhonwite	2.00
19 to 15 in	di 3 ft. (Woodward 0 . B&B	1 00	25	.75
	. B&B	1.25	1.15	1.00
18 to 24 in	. B&B	1.50	1.35	1.25
	ft. (Oriental Arbory		1.00	1.20
6 to 7 ft. H	3&B	5.00	4.50	
7 to 8 ft. I	3&B	6.00	5.50	
-orientalis com	3&B pacta 8 ft. (Compac	t Orie	ntal	
Arborvitae)				
	. B&B	1.25	1.15	1.00
	. B&B	1.50	1.35	1.25
2½ to 3 ft	. B&B	1.75	1.50	



Thuya occ. pyramidalis 4 ft.

	77 1	77. 1	77 1
THUYA—Continued	Each 1-4	Each 5-24	Each 25-up
-orientalis Kallay's Golden 10 ft.		0 2 1	20 ap
(Golden Chinese Arborvitae)			
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
2 to 2½ ft. B&B	1.75	1.65	1.50
2 ½ to 3 ft. B&B	2.25	$\frac{1.00}{2.00}$	1.00
3 to 4 ft. B&B	$\frac{2.25}{2.75}$	$\frac{2.50}{2.50}$	
4 to 5 ft. B&B	$\frac{2.15}{3.25}$	$\frac{2.50}{3.00}$	
5 to 6 ft. B&B	$\frac{3.25}{4.00}$	$\frac{3.00}{3.75}$	
6 to 7 ft. B&B	5.50	5.00	
-orientalis nana aurea 3 ft. (Berl	kman's	Golden	
Arborvitae)			
12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.60	1.40	1.25
18 to 24 in. B&B	2.00	1.75	1.50
THE TA			
TILIA			
—americana 80 ft. (American Lin	den)		
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	1.50	1.35	1.25
1 ½ to 1 ¾ in	2.00	1.75	1.50
1 % to 2 in	2.50	2.25	2.00
2 to 2½ in	3.00	$\frac{2.75}{2.75}$	2.50
2 ½ to 3 in	3.50	3.25	3.00
4 to 5 in	11.00	10.00	
5 to 6 in., price on request	11.00	10.00	
—cordata 65 ft. (Little Leaf Europ	noon T	indonl	
		•	
3 to 3½ in	8.00	7.00	
3½ to 4 in	10.00	9.00	
4 to 5 in	13.00	12.00	
5 to 6 in., price on request			
-vulgaris 70 ft. (Common Europea	n Lind	en)	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.75	
TSUGA			
-carolineana 50 ft. (Carolina Her	nlock)		
3 to 4 ft. B&B	3.50	3.00	
4 to 5 ft. B&B	5.00	4.50	600 AND AND ALC
5 to 6 ft. B&B	6.50	6.00	
6 to 7 ft. B&B	8.50	8.00	
0 W ( It, D&D	0.00	0.00	

TSUGA—Continued       1-4       5-24       25         —canadensis 75 ft. (Canadian Hemlock)       18 to 24 in. B&B       1.50       1.35       1         2 to 3 ft. B&B       2.50       2.25       2         3 to 4 ft. B&B       3.00       2.75       2	.25 .00 .50
—canadensis 75 ft. (Canadian Hemlock)         18 to 24 in. B&B       1.50       1.35       1         2 to 3 ft. B&B       2.50       2.25       2         3 to 4 ft. B&B       3.00       2.75       2	.25 $.00$ $.50$ $.50$ $.50$
18 to 24 in. B&B 1.50 1.35 1 2 to 3 ft. B&B 2.50 2.25 2 3 to 4 ft. B&B 3.00 2.75 2	$.00 \\ .50 \\ .50 \\ .50$
2 to 3 ft. B&B	$.00 \\ .50 \\ .50 \\ .50$
3 to 4 ft. B&B 3.00 2.75 2	$\begin{array}{c} .50 \\ .50 \\ .50 \end{array}$
9 77 T - 11 - 11 - 11 - 11 - 11 - 11 - 11	$.50 \\ .50$
4 to 5 It. B&B 4.00 3.75 3	.50
F 1 2 C D 0 D	
	.50
11 to 12 ft. sheared spec. B&B 20.00 18.00	
12 to 14 ft. sheared spec. B&B 27.00 25.00	
14 to 16 ft. sheared spec. B&B 32.00 30.00	
III MUC	
ULMUS —alata 45 ft. (Winged Elm)	
	.00
	.25
- /1 /2	
7 - 7 - 7 7	
2 to 2½ in 3.50 3.25	
-americana 80 ft. (American Elm)	
	.80
	.00
	.25
1½ to 1¾ in 1.75 1.65 1.	.50
1 \( \) to 2 in 2.25 2.00 1.	.75
2 to 2½ in 2.75 2.50 2.	.25
$2\frac{1}{2}$ to 3 in	.25
	.50
	.00
4.1 5	
5 to 6 in., price on request	. – –
—americana moline 80 ft. (Moline Elm)	
	.00
	.25
	.50
	.00
- 72 71	.50
2 to 2 1/2 in 4.00 2.75 2.	
	.50
	.00
	.00
$3\frac{1}{2}$ to 4 in	
5 to 6 in., price on request	
-campestris 80 ft. (English Elm)	
6 to 8 ft 1.25 1.15 1.	.00
	.25
	.50
1½ to 1¾ in 2.50 2.25 2.	.00
	.50
	.00
01/ to 0 in	
	. pro sali

For schedule of prices on balling and burlapping deciduous trees and shrubs, see inside back cover

JLMUS—Continued	Each 1-4	Each 5-24	Each 25-up
–americana vase shaped 60 ft. (V	ase Elm	n)	
6 to 8 ft	1.25	1.15	1.00
8 to 10 ft	1.50	1.35	1.25
1 ½ to 1 ½ in	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
1 3/4 to 2 in	3.00	2.75	2.50
2 to 2½ in	4.00	3.75	3.50
2½ to 3 in	4.50	4.25	4.00
3 to 3 ½ in	6.00	5.50	5.00
3 ½ to 4 in	8.00	7.00	
4 to 5 in	11.00	10.00	
-campestris wheatleyi 75 ft. (Whe			9.00
6 to 8 ft.	$\frac{2.50}{2.50}$	2.25	2.00
8 to 10 ft	3.50	3.25	3.00
1 ½ to 1 ½ in	4.50	4.25	4.00
1½ to 1¾ in	5.50	5.25	5.00
1 3/4 to 2 in	6.50	6.25	6.00
-fulva 65 ft. (Slippery Elm)	1 50	1.05	1 00
6 to 8 ft.	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1 1/4 to 1 1/2 in	2.00	1.75	1.50
1½ to 1¾ in	2.25	2.00	1.75
1 % to 2 in	2.75	2.50	2.25
2 to 2 ½ in	3.50	3.25	3.00
2½ to 3 in	4.50	4.25	4.00
-parvifolia 30 ft. (Chinese Elm)	4 50	4.05	
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.75	1.50	
1 ½ to 1 ½ in	2.00	1.75	
1½ to 2 in	2.75	2.50	
2 to 2½ in	3.50	3.00	
2½ to 3 in	4.50	4.00	
-pumila 75 ft. (Asiatic Elm)			
6 to 8 ft.	1.00	.85	.75
8 to 10 ft	1.25	1.15	1.00
1 ½ to 1 ½ in	1.50	1.35	1.25
1½ to 1¾ in	2.00	1.75	1.50
1 % to 2 in	2.50	2.25	2.00
2 to 2 ½ in	3.00	2.75	2.50
2½ to 3 in	4.00	3.75	3.50
3 to 3 ½ in	5.50	5.25	5.00
3 ½ to 4 in	6.50	6.25	6.00
4 to 5 in.	10.00	9.00	
5 to 6 in., price on request			
IBURNUM			
-acerifolium 5 ft. (Mapleleaf Vibr	ırnum)		
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.80	.70	.60
-americanum 8 ft. (American Cra	nberry	Bush)	
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.45	.40	.35
4 to 5 ft	.55	.50	.45

VIBURNUM—Continued	Each 1-4	Each 5-24	Each 25-up
—carlesi 4 ft. (Fragrant Viburnum)		3-24	40-up
12 to 15 in. B&B	1.00	.80	.70
15 to 18 in. B&B	1.25	1.15	1.00
18 to 24 in, B&B	1.50	1.35	1.25
2 to 2½ ft. B&B	$\frac{1.50}{2.00}$	1.75	1.50
12 to 15 in. own roots B&B	$\frac{2.00}{1.00}$	.90	.80
15 to 18 in. own roots B&B	1.35	1.25	1.15
18 to 24 in. own roots B&B	$\frac{1.35}{2.00}$	$\frac{1.25}{1.75}$	1.50
2 to 2½ ft. own roots B&B	$\frac{2.50}{2.50}$	$\frac{1.15}{2.25}$	$\frac{1.30}{2.00}$
—cassinoides 6 ft. (Withe Rod)	2.50		2.00
4 to 5 ft	.60	.55	.50
5 to 6 ft.	.90	.80	.70
-dentatum 12 ft. (Arrowwood)	0.5	0.0	0.5
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.60	.55	.50
6 to 8 ft	1.00	.8 <b>5</b>	.75
—dilatatum 10 ft. (Linden Viburnum	n)		
2 to 3 ft	.45	.40	
3 to 4 ft	.55	.50	
2 to 3 ft.	.35	.30	.25
	.45	.40	
3 to 4 ft			.35
18 to 24 in	.30	.25	.20
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.70	.60	.50
5 to 6 ft	.80	.70	.60
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	1.75	1.50	
-molle 10 ft. (Kentucky Viburnum	)		
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
-nudum 8 ft. (Smooth Withe Rod)	)		
15 to 18 in	.25	.20	.18
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
-opulus 10 ft. (Highbush Cranbert	rv)		
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.55	.50	.45
5 to 6 ft	.65	.60	.55
6 to 8 ft	1.00	.90	.80
-opulus nanum 2 ft. (Dwarf Cran	herry F	Rush)	.00
9 to 12 in.	.55	.50	.45
—opulus sterile 12 ft. (Common Sn			.10
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.55	.50	.45
—prunifolium 12 ft. (Blackhaw)	.00	.00	. 40
18 to 24 in	.50	.45	.40
2 to 3 ft	.75	.65	.60
3 to 4 ft	.90	.80	.00
4 to 5 ft	1.25	1.00	
* *************************************	1.40	1.00	

VIBURNUM—Continued	Each 1-4	Each	Each
—pubescens 6 ft. (Downy Viburnus	m)	5-24	25-up
2 to 3 ft	.45	.40	
3 to 4 ft	.50	.45	
-seiboldi 10 ft. (Seibold Viburnum	1)		
2 to 3 ft	.40	.35	
5 to 6 ft	.90	.80	.70
6 to 8 ft	1.50	1.25	1.00
-tomentosum 8 ft. (Doublefile Vib			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
5 to 6 ft	.80	.70	.60
6 to 8 ft.	1.00	.90	.80
-tomentosum plicatum 8 ft. (Japa			0.5
18 to 24 in	.35	.30	.25
2 to 3 ft 3 to 4 ft	$.50 \\ .60$	$.45 \\ .55$	.40 .50
-wrighti 8 ft. (Wright's Viburnum	.00	.55	.50
2 to 3 ft.	.40	.35	.30
5 to 6 ft	.85	.75	.70
6 to 8 ft	1.00	.90	.80
VINCA	1.00		.00
—minor 6 in. (Periwinkle)			
2 yrs. field grown \$50.00 per M	.10	.08	.06
VITEX			
—agnus castus 4 ft. (Chaste Tree)			
18 to 24 in	.30	.25	.20
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
-negundo incisa 4 ft. (Cutleaf Cha			***
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
VITIS			
-aestivalis 40 ft. (Summer Grape)	)		
2 years No. 1	.30	.25	
WEIGELIA			
—abel carriere 10 ft.			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
amabilis 8 ft. (Rose Weigelia)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
-candida 10 ft. (White Weigelia)			
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.40	.35
—desboisi 10 ft. (Pink Weigelia)	0.0	0.5	0.0
2 to 3 ft	.30	.25	.20 .25
3 to 4 ft	.35	.30	.25
4 to 5 ft Eva Rathke 5 ft. (New, Red Flow	.45	.40	.00
18 to 24 in.	.30	.25	.20
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
1 00 0 10	•00	***	

WEIGELIA—Continued	Each 1-4	Each 5-24	Each 25-up
-floribunda 8 ft. (Crimson Weigeli	a)		
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
		.00	.00
—hendersoni 10 ft. (Pink Weigelia) 2 to 3 ft.	.30	.25	.20
3 to 4 ft	.40	.35	.30
9 20 2 20000000000000000000000000000000			
—nana variegata 5 ft. (Variegated			)
18 to 24 in	.20	.18	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.35	.30
-rosea 8 ft. (Pin Flowering Weigel	ia)		
2 to 3 ft	.30	.25	.20
3 to 4 ft	.40	.35	.30
4 to 5 ft	.45	.40	.35
WISTARIA —multijuga 30 ft. (Japanese Wista	ria)		
2 years No. 1	.35	.30	.25
3 years No. 1	.40	.35	.30
-sinensis blue 40 ft. (Chinese Purp	le Wist	aria)	
2 years No. 1	.25	.20	.15
3 years No. 1	.30	.25	.20
-sinensis white 40 ft. (Chinese Wh	ito Wis		
2 years No. 1	.25	.20	.15
3 years No. 1	.30	.25	.20
Grafted Flowering Plants 2 yrs.	.50	.35	.40
Grafted Flowering Flants 2 yrs.	.00	.00	.10
ZANTHORHIZA			
-apiifolia 3 ft. (Yellowroot)			
12 to 15 in	.35	.30	
15 to 18 in	.40	.35	
18 to 24 in	.45	.40	
10 VO MA 1111	. 10	. 20	

For schedule of prices on balling and burlapping deciduous trees and shrubs, see inside back cover

## **PEONIES**

Strong, 3 to 5 eye div	visions		
	Each 1-4	Each 5-24	Each 25-up
Albert Crousse. Shell pink	.25	.20	.15
Claire Dubois. Satin pink	.25	.20	.15
Dr. Van Der Tak. Crimson	.60	.50	.40
Duchess de Nemours. White	.25	.20	.15
Edulis Superba. Early rose pink	.25	.20	.15
Felix Crousse. Ruby red	.25	.20	.15
Festiva Maxima. White	.25	.20	.15
Gigantea. Rose pink	.25	.20	.15
Karl Rosefield. Red	.25	.20	.15
Kelways Glorious. Creamy white	1.25	1.00	
Lady Alexander Duff. Pink	.25	.20	.15
Le Cygene. Cream white	1.25	1.00	
Livingston. Light pink	.25	.20	.15
Longfellow. Bright crimson	.60	.50	.40
Mad. Emile Galie. Pink	.25	.20	.15

PAINESVILLE, OHIO		63
Each	Each	Each
PEONIES—Continued 1-4	5-24	25-up
Mad. Jules Dessert. Shell pink40	.35	.30
Marie Crousse. Salmon pink25	.20	.15
Marie Lemoine. White25	.20	.15
Mms. Jules Dessert. Cream white30	.25	.20
Mons. Jules Elie. Early pink	$.25 \\ .50$	.20
Mr. Van Leeuwen. Light crimson 1.00	.75	.00
Officinalis rubra fl. pl. Early red35	.30	.25
Phillippe Rivoir. Wine red 1.00	.80	
Primevere. Straw white60	.50	
Richard Carvel. Crimson	.25	.20
Sarah Bernhardt. Pink35	.30	.25
Solange. Waxy white50	.45	.40
Souv. de Louis Bigot. Rose25	.20	.15
Therese. Pink	.50	.40
Walter Faxon. Coral pink50	.40	
HARDY PERENNIALS		
	Each	Each
	1-24	25-up
AJUGA—reptans blue, 6 in., May	.15	.12
ALYSSUM-argenteum, 15 in., summer	.10	.08
saxatile compactum, 12 in., yellow,	1.0	0.0
May	.10	.08
ANCHUSA-dropmore blue, 4 ft., June	.15	.12
myosotidiflora br. blue, 12 in., May	.15	.12
AQUILEGIA—canadense, scarlet, 2 ft.,	1.0	0.0
Mayalpina, blue, 1 ft., May and June	$.10 \\ .10$	.08
dobbies imperial hybrids, 2 ft., June	.12	.10
ARABIS—alpina white, 12 in., May	.12	.10
ARTEMESIA—abrotanum, 5 ft., fragrant	.10	.08
silver king, silver foliage, 4 ft	.12	.10
ASTER—alpinus, blue, 8 in., June, July	.12	.10
climax, 3 ft., Sept. and Oct.	.12	.10
Mauve cushion, mauve, Oct. 12 in	.12	.10
St. egwin, pink, 3 ft., Sept., Oct	.12	.10
	20	10
ASTILBE—gloria, dark pink	.20	.18
AUBRIETIA-deltoides hybrids, April,		
May	.12	.10
DADTICIA . II A CI T.	1.0	0.0
BAPTISIA—australis, 4 ft., June	.10	.08
BOLTONIA—asteroides, white, 5 ft., Sept.	.10	.08
latisquama, lavender, 5 ft., Aug	.10	.08
CAMPANULA—calycanthema, rose, 3 ft.,		
July	.10	.08
carpatica, blue, July, Aug., 9 in	.10	.08
carpatica, white, July, Aug., 9 in	.10	.08
persicifolia, blue, June, July, 2 ft	.10	.08
pyramidalis alba, white, July, 4 ft	.10	.08

	Each 1-24	Each 25-up
CERASTIUM—tomentosum, white, 6 in.,	1-24	20-up
June	.12	.10
CHRYSANTHEMUMS—Alice Howell, old		*= 0
gold	.10	.08
Autumn glow, rosy red	.10	.08
boston bronze, bronze	.10	.08
golden gueen, golden vellow	.10	.08
golden climax, vellow button	.10	.08
indian red, red	.10	.08
La Danube, pure pink	.10	.08
lucifer, blood red	.10	.08
Mrs. Bergen, pale pink	.10	.08
mitzie, yellow, red center, button	.10	.08
pink doty, pink	$.10 \\ .10$	.08 .08
skibo, bronze yellow, button	.10	.08
COREOPSIS—lanceolata grandfl. yellow,	.10	.00
	.12	10
auriculata, orange, summer, 18 in 2 ft	.12	.10
	.12	.10
DAISY—etoile d'or, white, July, Aug. 18	15	10
inMrs. Lotian Bell, white, June, July	.15	.12
2 ft	.12	.10
shasta alaska, white, July, Aug., 2 ft.	.10	.08
DELPHINIUM—belladonna, sky blue, all	.10	.00
summer A ft	.12	.10
summer, 4 ftbellamosa, dark blue, all summer, 4 ft.	.12	.10
Hybrids, Blackmore & Langdon's var-	.14	.10
ious	.15	.12
DIANTHUS-barbatus newport pink, July		
1 ft.	.10	.08
barbatus scarlet beauty, scarlet, 1 ft.	. 12	.10
deltoides erecta, pink, 9 in., July	.10	.08
plumarius, mixed, all summer, 8 in	.10	.08
DICENTRA—eximea, rose, 12 in., all sum-		
mer	.12	.10
spectabilis, bleeding heart, May, June,		
2 ft	.20	.18
DIGITALIS purpurea, mixed, June, July		
3 ft	.10	.08
purpurea, rose, June, July, 3 ft	.10	.08
purpurea, white, June, July, 3 ft	.10	.08
Shirley hybrids, mixed, June, July, 3		
ft	.10	.08
EUPATORIUM-ageratoides, white, Aug.,		
3 ft	.10	.08
coelestinum, blue, 18 in., Sept., Oct	.10	.08
EUPHORBIA—corollata, white, July, Aug.		
2 ft	.12	.10
myrsinites, yellow, May and June, 6 in.	.15	.12
FUNKIA-lancifolia, blue, July, 2 ft	.10	.08
undulata variegata, white foliage, 2 ft.	.12	.10
GAILLARDIA-grandiflora, yellow and		
crimson, 2 ft.	.10	.08

1		Each	Each
1 ft.	CELIM Mrs Prodebour red all summer	1-24	25-up
in	1 ft.	.15	.12
in	lady strateden, orange, all summer, 15		
breath	in	.15	.12
paniculata, white, July, Aug., 2/3 ft. 10 .08  HELENIUM—riverton gem, old gold, Sept. 4 ft		.25	.20
### HELENIUM—riverton gem, old gold, Sept. # 4 ft	paniculata, white, July, Aug., 2/3 ft.		
rubrum, brick red, Sept., 4 ft	HELENIUM—riverton gem, old gold, Sept.		
HELIANTHUS—multiflorus, 5 ft., yellow, all summer	4 ft.		
### All summer	rubrum, brick red, Sept., 4 It	.12	.10
HEMEROCALIS—florham, golden yellow, June, 3 ft.	all summer	.10	.08
June, 3 ft	<b>HEMEROCALIS</b> —florham, golden vellow.		***
Line   1.5   1.2   1.5   1.5   1.2   1.5   1.2   1.5   1.5   1.2   1.5   1.5   1.2   1.5	June, 3 ft		
Line   1.5   1.2   1.5   1.5   1.2   1.5   1.2   1.5   1.5   1.2   1.5   1.5   1.2   1.5	Dr. Regel, orange yellow, May, 18 in.		
June	gold dust, indian yellow, June, 2½ It.	.15	.12
luteola, orange, June, 3 ft	June	.15	.12
middendorffi, orange, June, 3 ft	luteola, orange, June, 3 ft.		
### HEUCHERA—pleu de feu, red, May, June, 2 ft	middendorffi, orange, June, 3 ft		
### HEUCHERA—pleu de feu, red, May, June, 2 ft	minor, yellow, June, 2 ft	.15	.12
rosamundi, coral, summer, 18 in		10	15
HIBISCUS—mellow marvels, separate colors, 5 ft	rosamundi coral summer 18 in		
Colors, 5 ft	HIRISCUS mellow marvels senarate	.10	.10
siberica show queen, white, May, 2 ft	colors, 5 ft.	.10	.08
siberica show queen, white, May, 2 ft	IBERIS—sempervirens, white, May, June		
siberica show queen, white, May, 2 ft	IRIS—pumila sambo, violet, April, 9 in.		
versicolor, blue, May, 2 ft	siberica snow queen, White, May, 2 It.		
Sermanica in variety	versicolor blue May 2 ft.		
kaempferi, six varieties, 2/3 ft.       .20       .15         LIATRIS — pychnostachya, purple, Aug., Sept., 4 ft.       .10       .08         scariosa, deep purple, Sept., 2 ft.       .20       .15         LYCHNIS—chalcedonica, scarlet, July, 3 ft.       .10       .08         viscaria fl. pl., red, June, 12 in.       .10       .08         LYSOMACHIA—numularia, yellow, June to Aug., 6 in.       .10       .08         LINUM—perenne, blue, 18 in., June, July .10       .08         LYTHRUM—roseum, rose, July, 4 ft.       .12       .10         MONARDA—cambridge, scarlet, July, Aug., 3 ft.       .15       .12         MYOSOTIS—palustris, blue, April, May, 6 in.       .15       .12         MYOSOTIS—palustris, blue, April, May, 6 in.       .10       .08         NEPETA—macrantha, lavender, summer, 2 ft.       .12       .10         MAPAVER—nudicaule, all colors, al lsummer, 8 ft.       .15       .12         orientale, orange scarlet, June, 2 ft.       .15       .12         PENSTEMON—barbatus, scarlet, July, 3 ft.       .10       .08	germanica in variety		
Sept., 4 ft	kaempferi, six varieties, 2/3 ft	.20	.15
LYCHNIS—chalcedonica, scarlet, July, 3       ft	LIATRIS - pychnostachya, purple, Aug.,		
LYCHNIS—chalcedonica, scarlet, July, 3       ft	Sept., 4 ft.		
ft.	I VCHNIS—chalcadonica scarlet July 3	.20	.10
viscaria fl. pl., red, June, 12 in		.10	.08
LYSOMACHIA—numularia, yellow, June to Aug., 6 in	viscaria fl. pl., red, June, 12 in	.10	.08
LINUM—perenne, blue, 18 in., June, July .10 .08 LYTHRUM—roseum, rose, July, 4 ft12 .10  MONARDA—cambridge, scarlet, July,	LYSOMACHIA—numularia, yellow, June	4.0	0.0
LYTHRUM—roseum, rose, July, 4 ft	to Aug., 6 in.		
Aug., 3 ft	LYTHRUM—roseum rose July 4 ft		
Aug., 3 ft	MONARDA—cambridge searlet July	• 1 2	.10
MYOSOTIS—palustris, blue, April, May,       6 in.       .10       .08         NEPETA—macrantha, lavender, summer,       .12       .10         2 ft.       .12       .10         mussini, blue, June, July, 12 in.       .12       .10         PAPAVER—nudicaule, all colors, al lsummer, 8 ft.       .15       .12         orientale, orange scarlet, June, 2 ft.       .15       .12         PENSTEMON—barbatus, scarlet, July, 3 ft.       .10       .08	Aug., 3 ft.	.15	.12
6 in			
2 ft		.10	.08
2 ft	NEPETA-macrantha, lavender, summer,		
PAPAVER—nudicaule, all colors, al lsummer, 8 ft	2 ft		
mer, 8 ft	mussini, blue, June, July, 12 in	.12	.10
orientale, orange scarlet, June, 2 ft15 .12  PENSTEMON—barbatus, scarlet, July, 3 ft10 .08	PAPAVER—nudicaule, all colors, al lsum-	4 =	10
PENSTEMON—barbatus, scarlet, July, 3 ft	mer, 8 II.		
ft		.10	.12
		.10	.08
	digitalis, white, August, 3 ft		

	Each	Each
PHYSOSTEGIA—virginiana, rose, Aug., 3	1-24	25-up
ft	.12	.10
ft. Virginiana alba, white, 3 ft., Aug PLATYCODON—grandiflorum, blue, sum-	.12	.10
mer. 2 ft	.10	.08
PLUMBAGO—larpentae, blue, fall, 6 in. PRIMULA—veris giant, munstead, May	.10	.08
1 ft	.15	.12
veris, yellow, April, May, 9 in PYRETHRUM—roseum, various, May,	.15	.12
June, 1 ft	.10	.08
Aug., Sept., 6 in	.10	.08
purpurea, purple, Aug., 3 ftSALVIA—argentea, pinkish white, June,	.10	.08
3 ftazurea grandiflora, blue, 6 in., Aug. 3	.10	.08
ft	.10	.08
pratensis, deep blue, June, 3 ft	.10	.08
SEDUM—album, white, July, 4 inbrilliant, crimson, Sept., 1½ ft	.10	.08
brilliant, crimson, Sept., 1½ ft	.10	.08
ewersi, pink, Aug., Sept., 6 in	.10	.08
glaucum, blue foliage, 2 in	.10	.08
kamtschaticum, yellow, July, 6 in	.10	.08
lydium, white, July, 2 in	.10	.08
maximowiczi, yellow, July, Aug., 1 ft.	.10	.08
murale, pink, July 1 ft.	.10	.08
sarmentosum, yellow, July, 3 in	.10	.08
stoloniferum, pink, July, Aug., 6 in SEMPERVIVUM—arachnoideum, red,	.10	.08
June, 4 in.  STATICE—latifolium, blue, July, Aug.,	.15	.12
18/24 in	.10	.08
STOKESIA—cyanea, blue, July, 17/24 THYMUS—serpyllum citriodorus, purple,	.10	.08
3 ft., June	.10	.08
serpyllum coccineus, scarlet, June, 4 in. TRADESCANTIA—virginia. blue. sum-	.10	.08
mer, 2 ft.  TROILLIUS—ledebouri, orange, summer,	.10	.08
18 in	.20	.18
12 in.	.12	.10
incana, pale blue, 6 ft., July, Sept	.12	.10
longifolia subsessilis, blue, Aug., 2 ft. rupestris, blue, June, 6 in	.12	.10
rupestris, blue, June, 6 in.	.12	.10
spicata, blue, July. Aug., 2 ft VIOLA—cornuta blue perfection, blue, 6	.12	.10
in.	.12	.10
cornuta apricot, apricot, summer, 6 in.	.12	.10
cornuta G. Werming, violet, all summer, 6 in.	.12	.10
cornuta jersey gem, rich violet, summer, 6 in.	.12	.10
cornuta white perfection, white, sum-		
mer, 6 in.	.12	.10

	Each	Each
YUCCA—filamentosa, white, June, July, 7	1-24	25-up
ft	.10	08
fil. variegata, creamy white foliage	.20	.15
FRUIT DEPARTMENT	Γ	
Each	Each	Each
1-4	5-24	25-up
APPLES—Standard named varieties,	4.0	0.5
11/16 in. and up45	.40	.35
CHERRIES—Sweet—Standard named		
varieties, $11/16$ in. and up65	.60	.55
CHERRIES—Sour—Standard named		
varieties, $11/16$ in. and up	.50	.45
PEARS—Standard named varieties.		
11/16 in. and up50	.40	.35
PEACHES—Standard named varieties.	• • •	•00
9/16 in. and up35	.30	.25
, I	.50	.20
PLUMS—Standard named varieties,	F 0	
11/16 in. and up55	.50	.45
APRICOTS—Standard named varieties,		
11/16 in. and up60	.55	.50
QUINCES—Standard named varieties,		
5/8 in. and up55	.50	.45
•		
CMALL EDILLEC		
SMALL FRUITS		
GRAPES— Each	Each	Each
<b>Agawam.</b> 2 yrs., No. 1, per M. 1-4	5-24	25-up
\$60.0012	.10	.08
Brighton. 2 yrs., No. 1, per M.		
\$60.0012	.10	.08
Caco. 2 yrs., No. 120	.18	.16
Campbell's Early. 2 yrs., No. 115	.14	
Catawba. 2 yrs., No. 115	. 1 1	.12
	.14	$.12 \\ .12$
Concord. 2 yrs., No. 1, per M. \$40 .10		$.12 \\ .06$
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware, 2 yrs., No. 1, per M. \$60 .12	.14	.12
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware, 2 yrs., No. 1, per M. \$60 .12	$.14 \\ .08$	$.12 \\ .06 \\ .08 \\ .08$
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12	$.14 \\ .08 \\ .10$	$.12 \\ .06 \\ .08$
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10	.12 .06 .08 .08
Concord. 2 yrs., No. 1, per M. \$40       .10         Delaware. 2 yrs., No. 1, per M. \$60       .12         Diamond. 2 yrs., No. 1       .12         Lucile. 2 yrs., No. 1       .12	.14 .08 .10 .10 .10	$.12 \\ .06 \\ .08 \\ .08$
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10	.12 .06 .08 .08
Concord. 2 yrs., No. 1, per M. \$40       .10         Delaware. 2 yrs., No. 1, per M. \$60       .12         Diamond. 2 yrs., No. 1       .12         Lucile. 2 yrs., No. 1       .12         Moore's Early. 2 yrs., No. 1, per M.       \$60.00         \$60.00       .12	.14 .08 .10 .10 .10	.12 .06 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 Delaware. 2 yrs., No. 1, per M. \$60 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08 .08 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .24 .04 ½ .04 ½	.12 .06 .08 .08 .08 .08 .08 .08 .08 .08 .04 .04
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08 .08 .08 .08 .08
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .24 .04 ½ .04 ½	.12 .06 .08 .08 .08 .08 .08 .08 .08 .08 .04 .04
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .24 .04 ½ .04 ½	.12 .06 .08 .08 .08 .08 .08 .08 .08 .04 .04 .04
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	$\begin{array}{c} .14\\ .08\\ .10\\ .10\\ .10\\ .10\\ .10\\ \\ .10\\ .20\\ .20\\ .20\\ .20\\ .20\\ .20\\ .20\\ .2$	.12 .06 .08 .08 .08 .08 .08 .08 .08 .04 .04 .04 .04
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08 .08 .08 .08 .04 .04 .04 .04 .04 .03 \frac{1}{2} .03 \frac{1}{2} .03 \frac{1}{2}
Concord. 2 yrs., No. 1, per M. \$40 .10 Delaware. 2 yrs., No. 1, per M. \$60 .12 Diamond. 2 yrs., No. 1	.14 .08 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.12 .06 .08 .08 .08 .08 .08 .08 .08 .04 .04 .04 .04

Per 100 Per 1000

## GRAFTED LINING OUT STOCK

Shipped from 21/4 in pots on May 1st, 1943. 25 at 100 rate; 250 and up at 1000 rate.

J	UN	IPERUS	


chin. columnaris glauca	8/12 in.	\$25.00	\$225.00
chin. mascula	8/12 in.	25.00	225.00
chin. pyramidalis	8/12 in.	25.00	225.00
excelsa stricta	6/8 in.	25.00	225.00
squamata meyeri	6/8 in.	25.00	225.00
virg. burki	8/12 in.	25.00	225.00
virg. cannarti	8/12 in.	25.00	225.00
virg. cannarti Kallay's	8/12 in.	25.00	225.00
virg. elegantissima	8/12 in.	25.00	225.00
virg. glauca	8/12 in.	25.00	225.00
virg. globosa	6/8 in.	25.00	225.00
virg. keteleeri	8/12 in.	25.00	225.00
virg. schotti	8/12 in.	25.00	225.00
PICEA			
pungens kosteri	8/12 in.	35.00	300.00
pungens moerheimi8/12 in.		40.00	350.00

## THUYA

occ.	columbia8/1? in.	20.00	175.00
occ.	douglasi aurea8/12 in.	20.00	175.00
occ.	elegantissima $8/12$ in.	20.00	175.00

occ. lutea (Geo. Peabody) \_\_\_8/12 in. 20.00 175.00

occ. pyramidalis \_\_\_\_\_8/12 in. 20.00 175.00



Our two years field grown twice transplanted Taxus and Thuya

